## CARSON CITY PURCHASING AND CONTRACTS 201 North Carson Street, Suite 3 Carson City, NV 89701 775-283-7137/FAX 887-2107 http://www.carson.org/index.aspx?page=998

NOTICE TO CONTRACTORS
BID #1011-242
Carson City Gateway Signage Project
PWP # CC-2011-299

August 17, 2011

## Addendum No. 2

Please make the following additions/changes/clarifications to the above referenced project.

Sign Face Construction Clarification

The notes describing the sign face on Sheet L-4 (Gateway Sign Sign Face, Notes 1 –through 6) did not provide specific direction regarding the construction of the sign face to allow each sign fabricator to utilize their most durable and cost effective approach to fabrication. The following clarifications are provided to further define the expected product:

- ➤ The two sign faces shall be all metal construction with the type of metal and thickness to be determined by the fabricator.
- ➤ If internal supports or stiffeners are used for the sign face construction they shall be of a material that is weather resistant and which will not degrade or corrode over the life if the sign.
- All parts of the sign shall be treated to withstand rusting and corrosion over the life of the sign.
- ➤ The sign shall be designed so that repainting / refurbishing can be accomplished at a later date.
- ➤ While a five year warranty is called for, it is expected that the sign will be of a quality that provides a 10 to 20 year life cycle for the sign.

## End of Addendum 2