





Carson City Building Division

108 E. Proctor Street
 Carson City, Nevada 89701
 (775) 887-2310– Hearing Impaired: 711
 bldgdiv@carson.org
 www.carson.org/building

		<h2>LOCAL AMENDMENTS</h2>		
<p>2018 International Building Code^a 2018 International Residential Code^a 2018 International Existing Building Code^a 2018 International Energy Conservation Code^a 2018 International Fuel Gas Code^a 2018 International Mechanical Code^a 2018 International Property Maintenance Code^a 2018 International Swimming Pool and Spa Code^a 2009 ICC/ANSI A117.1^b 2018 International Fire Code^c 2018 International Wildland-Urban Interface Code^c</p>	<p>2018 Northern Nevada Amendments^d</p> 	<p>2018 Northern Nevada Fire Amendments</p> <div style="display: flex; justify-content: space-around;">   </div> <p style="text-align: center;">IFC WUI</p>		
	<p>NATIONAL FIRE PROTECTION ASSOCIATION The leading information and knowledge resource on fire, electrical and related hazards</p>			
<p>2017 National Electrical Code (2017 NEC)</p>		<p>2018 Uniform Mechanical Code</p>	<p>2018 Uniform Plumbing Code</p>	

– Climate and Geographic Design Criteria –

GROUND SNOW LOAD	WIND SPEED (MPH) EXPOSURE "C"			SEISMIC DESIGN CATEGORY	SUBJECT TO DAMAGE FROM				WINTER DESIGN TEMP	ICE SHIELD UNDERLAYMENT REQUIREMENT	FLOOD HAZARDS	AIR FREEZING INDEX	MEAN ANNUAL TEMP
	RISK CATEGORY I	RISK CATEGORY II	RISK CATEGORY III		WEATHERING	FROST LINE DEPTH	TERMITE	DECAY					
30 ^e	120 MPH Vult*	130 MPH Vult*	140 MPH Vult*	E ^c	SEVERE	24"	MODERATE TO HEAVY	NONE TO SLIGHT	10° F	ABOVE 5500' Elev ^e	Varies See Engineering ^e	500	50° F

^a as amended by the Northern Nevada Amendments

^b 2017 publication may be used as an alternative means and methods

^c as amended by Northern Nevada Fire Amendments

^d as amended by Carson City 3/2019

^e additional information may be required if over 5000 Feet elevation, located in a different seismic area as per USGS or flood plain as per FEMA