

Item # 18A

**City of Carson City
Agenda Report**

Date Submitted: August 21, 2009

Agenda Date Requested: September 3, 2009
Time Requested: 5 minutes

To: Mayor and Supervisors
From: Purchasing and Contracts

Subject Title: Action to approve Contract No. 0910-084 Joinder Contract with Santex Truck Center through the Houston-Galveston Area Counsel (H-GAC) for the purchase of Two (2) International 7600 Trucks for a not to exceed cost of \$213,740.00 to be funded from the Water Equipment Fund and the Streets Equipment as provided for in FY 2009/2010. (*Sandy Scott*)

Staff Summary: The current fleet of vehicles used for plowing snow and hauling dirt do not function well on multi-lane streets and this equipment purchase would allow Public Works the additional capacity required to work on multi-lane streets. Staff is requesting the purchase of the vehicles to increase the fleet for Water and Streets to accommodate multi-lane streets.

Type of Action Requested: (check one)

☐ Resolution ☐ Ordinance
☒ Formal Action/Motion ☐ Other (Specify)

Does This Action Require A Business Impact Statement: ☐ Yes ☒ No

Recommended Board Action: I move to approve Contract No. 0910-084 Joinder Contract with Santex Truck Center through the Houston-Galveston Area Counsel (H-GAC) for the purchase of Two (2) International 7600 Trucks for a not to exceed cost of \$213,740.00 to be funded from the Water Equipment Fund and the Streets Equipment as provided for in FY 2009/2010. (*Sandy Scott*)

Explanation for Recommended Board Action: NRS 332.195 Joinder or mutual use of contracts by governmental entities.

1. A governing body or its authorized representative and the State of Nevada may join or use the contracts of local governments located within or outside this State with the authorization of the contracting vendor. The originally contracting local government is not liable for the obligations of the governmental entity which joins or uses the contract.

2. A governing body or its authorized representative may join or use the contracts of the State of Nevada or another state with the authorization of the contracting vendor. The State of Nevada or other state is not liable for the obligations of the local government which joins or uses the contract.

(Added to NRS by 1975, 1539; A 1985, 357; 1999, 1686; 2001, 1320; 2003, 2263; 2005, 2556)

Applicable Statute, Code, Policy, Rule or Regulation: NRS 332.115 subsection 1 (m) and NRS 332.195.

Fiscal Impact: \$213,740.00

Explanation of Impact: Accounts listed below would be decreased by the above amount.


Funding Source: Account numbers 520-3502-435-7775 Water Equipment Fund and 256-3038-431-7775 Streets Equipment Fund.


Alternatives: Deny funding of project and provide alternative.

Supporting Material: HGAC – Santex Truck Center Purchase Request


Prepared By: Sandy Scott, Purchasing and Contracts Coordinator

Reviewed By:


(Public Works)


(City Manager)


(District Attorney)


(Finance Director)

Date: 8/25/09

Date: 8/25/09

Date: 8-25-09

Date: 8-25-09

Board Action Taken:

Motion: _____

1) _____ Aye/Nay
2) _____

(Vote Recorded By)



201 N. Carson Street, Suite 3
Carson City, Nevada 89701
(775) 887-2133 [Fax] (775) 887-2027

VENDOR #	DATE	GROUP #	CHECK DATE:
	August 24, 2009		

VENDOR	HGAC	SHIP TO
Santex Truck Center - Rick DeNolf		Dennis Koerning
1380 Ackerman Rd.		Monroe Truck Equipment
San Antonio, TX 78219		1051 W. 7th St.
210-477-2514	210-661-0226 fax	Monroe, WI 53566
		608-329-8105 608-328-8390 fax

SHIPPING METHOD		SHIPPING TERMS	DELIVERY DATE
QTY	UNIT	DESCRIPTION	BUDGET NUMBER
1.00	each	International 7600 Truck	520-3502-435.77-75
1.00	each	International 7600 Truck	256-3038-431.77-75
			\$ -
			\$ -
		PO given to department to place order.	\$ -
		PO shall not be modified without approval from Finance Director.	\$ -
		TOTAL	\$ 213,740.00
PURCHASED BY: Darren Selby			
FED I.D. NO. 88-6000189			

I HEREBY CERTIFY UNDER PENALTY OF PERJURY THAT THE ITEMS, AMOUNTS AND STATEMENTS AS HEREIN SET FORTH ARE TRUE AND CORRECT PER PURCHASE REQUISITION MADE BY THE PERTINENT CITY DEPARTMENT.

DEPARTMENT. *David Alvarado*

I HEREBY CERTIFY UNDER PENALTY OF PERJURY THAT THE ITEMS, AMOUNTS AND STATEMENTS AS HEREIN SET OUT ARE TRUE AND CORRECT PER PURCHASE REQUISITION MADE BY THE PERTINENT CITY DEPARTMENT.

APPROVED FOR PAYMENT

**CONTRACT PRICING WORKSHEET**
For MOTOR VEHICLES OnlyContract
No.:

HT11-07

Date
Prepared:

7/6/2009

This Worksheet is prepared by Contractor and given to End User. If a PO is issued, both documents MUST be faxed to H-GAC @ 713-993-4548. Therefore please type or print legibly.

Buying Agency:	City of Carson City, NV	Contractor:	Santex Truck Center
Contact Person:	Darren Selby	Prepared By:	Rick DeNolf
Phone:	775-887-2355	Phone:	800 373-8370
Fax:	775-887-2164	Fax:	210 661-0226
Email:	dselby@ci.carson-city.nv.us	Email:	rdenolf@santextrucks.com

Product Code:	HP	Description:	2010 International 7600 6x4
---------------	----	--------------	-----------------------------

A. Product Item Base Unit Price Per Contractor's H-GAC Contract:

71895

B. Published Options - Itemize below - Attach additional sheet(s) if necessary - Include Option Code in description if applicable.
(Note: Published Options are options which were submitted and priced in Contractor's bid.)

Description	Cost	Description	Cost
1GBP Frame Reinforcement	1432	12THT Horton Fan Drive	299
1WHG Extended Wheelbase	637	13AMN Allison Automatic Transmission	23327
1WDS Front Frame Extension	221		
2AEW 20K Front Axle	3092		
3ACS 20K Front Suspension	232		
4619 Trailer Air Brake Connections	317		
4EBS Air Dryer	445		
7SCT Engine Retarder	695		
8GGR 200 Amp Alternator	408		
8RJU Radio	474		
8WTV Body Circuit Power Module	578	Subtotal From Additional Sheet(s):	
12BAM 410 hp Diesel Engine	2407	Subtotal B:	34564

C. Unpublished Options - Itemize below / attach additional sheet(s) if necessary.

(Note: Unpublished options are items which were not submitted and priced in Contractor's bid.)

Description	Cost	Description	Cost
Customer Required Unpublished Options for Dump Truck	111		
Snow Plow Application		Subtotal From Additional Sheet(s):	
		Subtotal C:	111

Check: Total cost of Unpublished Options (C) cannot exceed 25% of the total of the Base Unit Price plus Published Options (A+B).

For this transaction the percentage is:

0%

D. Total Cost Before Any Applicable Trade-In / Other Allowances / Discounts (A+B+C)

Quantity Ordered:	1	X Subtotal of A + B + C:	106570	=	Subtotal D:	106570
-------------------	---	--------------------------	--------	---	-------------	--------

E. H-GAC Order Processing Charge (Amount Per Current Policy)

Subtotal E: 600

F. Trade-Ins / Other Allowances / Special Discounts / Freight / Installation

Description	Cost	Description	Cost
		Subtotal F:	0

Delivery Date:

G. Total Purchase Price (D+E+F):

107170



7600 SFA 6x4

Sales Proposal For:

City of Carson City NV

Presented By:

SANTEX TRUCK CENTERS, LTD.


Prepared For:

City of Carson City NV
 Darren Selby
 3505 Butti Way
 Carson City, NV 89701-3498
 (775)887 - 2355
 Reference ID: N/A

**Diamond SPEC™****Presented By:**

SANTEX TRUCK CENTERS, LTD.
 Rick DeNolf
 1380 ACKERMAN RD.
 SAN ANTONIO TX 78219 -
 (210)661-8371

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

**Model Profile****2010 Diamond SPEC™ 7600 SFA 6X4 (SF547)****APPLICATION:**

Front Plow with spreader

MISSION:

Requested GVWR: 58000. Calc. GVWR: 58180
 Calc. Start / Grade Ability: 39.70% / 2.88% @ 55 MPH
 Calc. Geared Speed: 64.6 MPH

FUEL ECONOMY:

6.12 MPG @ 55 MPH

DIMENSION:

Wheelbase: 211.00, CA: 136.00, Axle to Frame: 63.00

ENGINE, DIESEL:

{International MaxxForce 13} 410 HP @ 2100 RPM Governed Speed, 1450 lb-ft Torque @ 1000 RPM; 410 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

{Allison 4500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive;
 On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

{Dana Spicer I-200W} Wide Track, I-Beam Type, 20,000-lb Capacity

AXLE, REAR, TANDEM:

{Meritor RT-40-145} Single Reduction 40,000-lb Capacity With Driver Controlled Main Locking
 Differential in Rear-Rear Axle and 200 Wheel Ends Gear Ratio: 5.86

CAB:

Conventional

TIRE, FRONT:

(2) 315/80R22.5 XZY-3 (MICHELIN) 486 rev/mile, load range L, 20 ply

TIRE, REAR:

(9) 11R22.5 XDE M/S (MICHELIN) 497 rev/mile, load range H, 16 ply

SUSPENSION, REAR, TANDEM:

{Hendrickson HMX-400-52} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity, With
 Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers

FRAME REINFORCEMENT:

Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312";
 (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL

PAINT:

Cab schematic 100GR

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

<u>Code</u>	<u>Description</u>
SF54700	Base Chassis, Model 7600 SFA 6X4 with 211.00 Wheelbase, 136.00 CA, and 63.00 Axle to Frame.
1570	TOW HOOK, FRONT (2) Inside Rail, Frame Mounted.
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back
	<u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille
1WHG	WHEELBASE RANGE 191" (485cm) Through and Including 256" (650cm)
2AEW	AXLE, FRONT NON-DRIVING {Dana Spicer I-200W} Wide Track, I-Beam Type, 20,000-lb Capacity
3ACS	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, Single Stage Spring; 20,000-lb Capacity; Less Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : BRAKE CHAMBERS, SPRING (4) Rear Parking : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER {Bendix AD-9} With Heater
4ETE	BRAKE CHAMBERS, FRONT AXLE {Haldex} 24 SqIn
4EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
4SBU	AIR COMPRESSOR {Knorr Bremse LP-360 DLU} 15.9 CFM Capacity, Single Cylinder
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black

<u>Code</u>	<u>Description</u>
5PTB	STEERING GEAR (2) {Sheppard M-100/M-80} Dual Power
7BDL	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Outside Right Rail Under Cab; Includes Vertical Tail Pipe and Guard <u>Includes</u> : MUFFLER/TAIL PIPE GUARD Bright Finish
7SCT	ENGINE RETARDER for MaxxForce 11 & 13 Engines; Includes an On/Off Switch and a Three Level Selector Switch
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : BATTERY BOX Steel with Fiberglass Cover : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered
8518	CIGAR LIGHTER Includes Ash Cup
8540	HORN, ELECTRIC (2)
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord
8GGR	ALTERNATOR {Bosch LH200} Brush Type, 12 Volt 200 Amp. Capacity, Pad Mounted
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
8MKX	BATTERY SYSTEM {International} Maintenance-Free (3) 12-Volt 2775CCA Total
8RJU	RADIO {International} AM/FM Stereo With CD Player, Weatherband, Clock, Auxiliary Input, Includes Multiple Coaxial Speakers <u>Includes</u> : SPEAKERS IN CAB (2) Coaxial with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior
8THB	BACK-UP ALARM Electric, 102 dBA
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications
8TME	TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible With Trailers That Have Amber or Side Turn Lamps
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail

<u>Code</u>	<u>Description</u>
8WLK	TURN SIGNALS, FRONT Dual Face, Amber/Amber, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors
8WML	HEADLIGHTS Long Life Halogen; for Two Light System
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on
8WTV	SWITCH, BODY CIRCUITS, MID for Bodybuilder, With 6 Switches in Instrument Panel; One Power Module With 6 Channel, 20 Amp Max. Per Channel and 80 Amp Max Output, Switches Control the Power Module Through Multi Module Through Multiplex Wiring, Mounted inside the cab
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
9593	FENDER EXTENSIONS Omit
9HBM	GRILLE Stationary, Chrome
9WAC	BUG SCREEN Front End; Mounted Behind Grille
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 Emissions
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GR"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
11001	CLUTCH Omit Item (Clutch & Control)
12854	PTO EFFECTS, ENGINE FRONT for MaxxForce 11 and 13 International Engines, Less PTO Unit, Includes Adapter Plate on Engine Front Mounted
12864	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1500 Watt
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door
12BAM	ENGINE, DIESEL {International MaxxForce 13} 410 HP @ 2100 RPM Governed Speed, 1450 lb-ft Torque @ 1000 RPM; 410 Peak HP (Max)
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : COLD STARTING EQUIPMENT Automatic; With Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE BLOCK Compacted Graphite Iron : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Top Access, Cartridge Type Filter Element; Engine Mounted : FUEL SYSTEM High Pressure Common Rail : GOVERNOR Electronic : HEAT MANAGEMENT SYSTEM Eco-Therm : OIL FILTER, ENGINE Drop-In Cartridge Type : OIL PAN Laminate Steel Composite : TURBO Twin Series
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed
	<u>Includes</u> : FAN Nylon
12UYP	RADIATOR Aluminum; Front to back system. 1464 SqIn, Main, Down flow; 1358 SqIn, Aux, Cross flow Radiator

<u>Code</u>	<u>Description</u>
	<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Clear Fill/Surge Tank and Black Deaeration Tank (2 Tanks) : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12UZZ	FEDERAL EMISSIONS 2007 for International MaxxForce 13 Liter Engines
12VAL	AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12WEG	COLD STARTING EQUIPMENT Automatic; With Engine ECM Control
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations
13AMN	TRANSMISSION, AUTOMATIC {Allison 4500_RDS_P} 4th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder
	<u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil, for Allison or CEEMAT Transmission
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction
13XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring
14803	BUSHINGS, EQUALIZER BEAM Bronze Center Bushings; for Hendrickson Suspension
14GTJ	AXLE, REAR, TANDEM {Meritor RT-40-145} Single Reduction 40,000-lb Capacity With Driver Controlled Main Locking Differential in Rear-Rear Axle and 200 Wheel Ends . Gear Ratio: 5.86
	<u>Includes</u> : POWER DIVIDER LOCK Air Operated, Cab Control with Indicator Light in Cluster : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle
14UMB	SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-52} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers
	<u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions
15LGL	FUEL/WATER SEPARATOR {Davco Fuel Pro 382 (382030)} With Fuel Heated Fuel Heater, Thermostatic Fuel Temperature Control, Mounted In Standard Position
15SCR	FUEL TANK Top Draw; D Style, Steel, 100 U.S. Gal., 378.5 L Capacity, 19.0" Tank Depth, Mounted Left Side Under Cab
16030	CAB Conventional
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel

<u>Code</u>	<u>Description</u>
	: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted
	: GLASS, ALL WINDOWS Tinted
	: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side
	: GRAB HANDLE, CAB INTERIOR (2) "B" Pillar Mounted, One Each Side
	: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color
	: STEP (4) Two Steps per Door
16HBA	GAUGE CLUSTER English With English Electronic Speedometer
	<u>Includes</u>
	: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level
	: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout
	: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HGH	GAUGE, OIL TEMP, ALLISON TRAN
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust
	<u>Includes</u>
	: SEAT BELT 3-Point, Lap and Shoulder Belt Type
16PJH	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl
	<u>Includes</u>
	: SEAT BELT 3-Point, Lap and Shoulder Belt Type
16SDT	MIRRORS (2) {Lang Mekra} Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostat Controlled, Power Both Sides Flat Glass Only, Clearance Lights LED,
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster
	<u>Includes</u>
	: FRESH AIR FILTER
	: HEATER HOSES Premium
	: REFRIGERANT Hydrofluorocarbon HFC-134A
16WKY	FRESH AIR FILTER for HVAC
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door
16WRX	CAB INTERIOR TRIM Deluxe
	<u>Includes</u>
	: "A" PILLAR COVER Molded Plastic
	: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering
	: CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side
	: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket
	: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors
	: FLOOR COVERING Rubber, Black
	: HEADLINER Soft Padded Cloth

<u>Code</u>	<u>Description</u>
	: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16WSK	CAB REAR SUSPENSION Air Bag Type
16XWJ	WINDSHIELD WIPER BLADES Snow Type
26DRA	WHEEL, SPARE, DISC 22.5" Painted Steel, 10 Stud (285.75MM BC Hub Piloted) 8.25 DC Rim
27DMW	WHEELS, FRONT DISC; 22.5" Painted Steel, 5 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims; With Steel Hubs.
	<u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs
	<u>Includes</u> : PAINT IDENTITY, REAR WHEELS White : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings
29007	TIRE, SPARE Equal to Model Standard
	<u>Includes</u> : PLEASE NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel
29WAR	WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels
7452133217	(9) TIRE, REAR 11R22.5 XDE M/S (MICHELIN) 497 rev/mile, load range H, 16 ply
7652543208	(2) TIRE, FRONT 315/80R22.5 XZY-3 (MICHELIN) 486 rev/mile, load range L, 20 ply
	Services Section:
40AMJ	WRTY,LTD, BASIC VEHICLE DSPEC {Diamond SPEC} To 12-Month/Unlimited Mileage; Includes Diamond Emergency Breakdown Service, With 90-Day Towing Special Navistar Promotion - MaxForce 3 year / 300,000 mile extended Engine Warranty at NO CHARGE if ordered during the month of JULY

INTERNATIONAL®

Financial Summary
2010 7600 SFA 6X4 (SF547)

July 06, 2009

<u>Description</u>	(USA DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$171,057.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$171,057.00
Freight Charge	\$1,650.00	
Total Freight:		\$1,650.00
Total Factory List Price Including Freight:		\$172,707.00
Less Customer Allowance:		(\$66,137.00)
Total Vehicle Price:		\$106,570.00
Total Sale Price:		\$106,570.00
Total Per Vehicle Sales Price:		\$106,570.00
Net Sales Price:		\$106,570.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

**This proposal is not binding upon the seller without
Seller's Authorized Signature**

Official Title and Date