



CARSON CITY  
FLEET  
MAINTENANCE  
FACILITY  
EXPANSION

CARSON CITY,  
NEVADA

DATE	6-2-14
JOB NO	796
DRAWN	RBR
CHECKED	MLM/JDG

△ BUILDING DEPARTMENT COMMENTS  
4/24/14

DEMOLITION  
FLOOR PLANS

D1

General Demolition Notes


- DEMOLITION WORK SHOWN IS GENERAL. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL EXISTING VISIBLE CONDITIONS AND WORK AFFECTING COMPLETION OF ALL DEMOLITION AND NEW CONSTRUCTION WORK.
- UNLESS OTHERWISE NOTED, ALL EXISTING PANELS, RECEPTACLES, SWITCHES, LIGHTING FIXTURES ETC. IN THIS BUILDING ARE TO REMAIN.
- CONTRACTOR TO PROVIDE PATCHING OF ALL WALLS, FLOORS AND CEILINGS REQUIRED DUE TO EXISTING CONDITIONS OR DEMOLITION WORK. ALL PATCH AND REPAIR WORK TO PROVIDE A SMOOTH, EVEN TRANSITION TO EXISTING SURFACES.
- ALL ALTERATIONS TO EXISTING SYSTEMS TO BE PERFORMED IN SUCH A MANNER AS TO MAINTAIN PROPER OPERATION OF EXISTING ELECTRICAL, MECHANICAL AND PLUMBING SYSTEMS AND EQUIPMENT THAT IS TO REMAIN.
- IT IS THE CONTRACTOR'S RESPONSIBILITY TO RETURN TO ORIGINAL CONDITION ANY EXISTING SURFACES AND FINISHES THAT ARE DAMAGED OR DESTROYED DURING THE PERFORMANCE OF ANY DEMOLITION OR NEW CONSTRUCTION WORK THAT MAY RESULT OUTSIDE THE DEFINED BOUNDARIES OF WORK. ALL PATCH OR REPAIR WORK TO PROVIDE A SMOOTH, EVEN TRANSITION TO EXISTING SURFACE. FINISH TO MATCH ADJACENT EXISTING SURFACES, TYPICAL.
- VERIFY ALL DEMOLITION ITEMS TO BE TURNED OVER TO THE OWNER AND COORDINATE MOVING THE ITEMS TO THE PROPER STORAGE LOCATIONS WITH THE OWNER. IT IS THE CONTRACTOR'S RESPONSIBILITY TO REMOVE ALL OTHER ITEMS NOT TURNED OVER TO THE OWNER. IT IS THE CONTRACTOR'S RESPONSIBILITY TO TAKE ALL CARE NECESSARY TO MAINTAIN ALL EQUIPMENT AND FIXTURES IN THEIR EXISTING CONDITION BEFORE, DURING AND AFTER REMOVAL, UNTIL STORED IN THE OWNER'S POSSESSION. ALL DAMAGE RESULTING FROM CONTRACTOR'S NEGLIGENCE WILL BE ASSESSED ACCORDINGLY TO THE POSSIBLE EXTENT OF 100% REPLACEMENT.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PERFORM ALL REQUIRED CARPING AND ABANDONMENT WORK REQUIRED IN REMOVING ALL EXISTING EQUIPMENT AND FIXTURES, TYPICAL.
- IF EXISTING CONDITIONS WARRANT FURTHER DEMOLITION OR REMOVAL, BEYOND THE DEFINED LIMITS, THE CONTRACTOR SHALL NOTIFY THE ARCHITECT PRIOR TO PROCEEDING WITH ADDITIONAL DEMOLITION.
- CONTRACTOR TO REMOVE AND REINSTALL ANY EQUIPMENT WHICH MAY INTERFERE WITH DEMOLITION WORK.
- FOR LOCATION OF RELOCATED EQUIPMENT, SEE FLOOR PLANS AND EQUIPMENT SCHEDULE.
- SEE STRUCTURAL, MECHANICAL, PLUMBING AND ELECTRICAL FOR ADDITIONAL DEMOLITION WORK.

Demolition Legend



- WALLS TO REMAIN
- WALLS TO BE REMOVED
- OBJECT TO BE REMOVED
- DEMOLITION NOTE
- DOOR TO BE REMOVED OR RELOCATED
- WINDOW TO BE REMOVED OR RELOCATED

Demolition Notes


- ALT. 'E' REMOVE WOOD STRUCTURE IN IT'S ENTIRETY, FIRST AND SECOND FLOOR TO CREATE A CLEAR OPEN BAY.
- REMOVE PORTION OF EXTERIOR METAL WALL/INSULATION TO RECEIVE NEW SECTIONAL DOOR. COORDINATE WITH DOOR SCHEDULE ON SHEET A1 AND STRUCTURAL DRAWINGS.
- REMOVE DOOR/HARDWARE IN IT'S ENTIRETY.
- REMOVE PORTION OF EXTERIOR METAL WALL/INSULATION TO RECEIVE NEW MAN DOOR. COORDINATE WITH DOOR SCHEDULE ON SHEET A1.
- ALT. 'A' REMOVE PORTION OF (E) CONCRETE SLAB FOR NEW TRENCH DRAINS. COORDINATE WITH STRUCTURAL AND PLUMBING DRAWINGS.





Demolition Main Floor Plan  
1/8" = 1'-0"



Demolition Upper Floor Plan  
1/8" = 1'-0"






CARSON CITY  
 FLEET  
 MAINTENANCE  
 FACILITY  
 EXPANSION


CARSON CITY,  
 NEVADA

DATE	6-2-14
JOB NO	796
DRAWN	RBR
CHECKED	MLM/JDG

△ BUILDING DEPARTMENT COMMENTS  
 4/24/14



Site Plan  
 1" = 20'-0"



Room Finish Schedule											
No.	Name	Floor Finish	Wall Finish	Ceiling Finish	Base	Remarks/Misc. Finishes					
<b>Main Floor</b>											
100	LOBBY	...	...	...	...	...					
100A	STORAGE	...	...	...	...	...					
101	STAIR	...	...	...	...	...					
102	MEN	...	...	...	...	...					
103	UNI-SEX	...	...	...	...	...					
104	STORAGE	...	...	...	...	...					
105	RISER	...	...	...	...	...					
106	ENTRY	...	...	...	...	...					
107	MAINTENANCE BAY	...	...	...	...	...					
108	WASH BAY	...	...	...	...	...					
109	EXISTING MAINTENANCE	EXISTING TO REMAIN									
110	EXISTING STORAGE	EXISTING TO REMAIN									
111	EXISTING STORAGE	EXISTING TO REMAIN									
<b>Upper Floor</b>											
200	OPEN OFFICE	...	...	...	...	ALTERNATE "C" BASE BID					
201	STORAGE	...	...	...	...	ALTERNATE "C"					
202	OFFICE	...	...	...	...	ALTERNATE "C"					
203	OFFICE	...	...	...	...	ALTERNATE "C"					

NOTES: 1. PAINT ALL INTERIOR EXPOSED METAL BUILDING STRUCTURAL FRAMING TO MATCH EXTERIOR ROOFING PANELS  
 2. PROVIDE AND INSTALL VINYL TILE WITH 6" RUBBER BASE AT THE STAIR LANDING  
 3. THE LEADING 2" OF THE RUBBER TREADS SHALL HAVE VISUAL CONTRAST OF DARK-ON-LIGHT OR LIGHT-ON-DARK FROM THE REMAINDER OF THE TREAD.


Door Schedule												
Number	Room Number	Type	Material	Width	Height	Lowert	Label	Material	Height	Head	Jamb	Remarks
<b>Main Floor</b>												
100A	100	SV	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
100B	100	SV	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
100C	100	SV	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
100D	100A	F	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
102	102	F	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
103	103	F	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
104A	104	F	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
104B	104	F	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
105	105	F	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
106	106	SV	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
107A	107	OH	STL	15'-0"	16'-0"	-	-	STL	-	-	-	PER BUILDING MANUFACTURE
107B	107	OH	STL	15'-0"	16'-0"	-	-	STL	-	-	-	PER BUILDING MANUFACTURE
107C	107	OH	STL	15'-0"	16'-0"	-	-	STL	-	-	-	PER BUILDING MANUFACTURE
107D	107	OH	STL	15'-0"	16'-0"	-	-	STL	-	-	-	PER BUILDING MANUFACTURE
107E	107	SV	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
108A	108	OH	STL	15'-0"	16'-0"	-	-	STL	-	-	-	PER BUILDING MANUFACTURE
108B	108	OH	STL	15'-0"	16'-0"	-	-	STL	-	-	-	PER BUILDING MANUFACTURE
108C	108	SV	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
108D	108	SV	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
108E	108	SV	HM	3'-0"	7'-0"	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
111	111	OH	STL	10'-0"	10'-0"	-	-	STL	-	-	-	PER BUILDING MANUFACTURE
<b>Upper Floor</b>												
201	201	HM	3'-0"	7'-0"	-	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
202	202	HM	3'-0"	7'-0"	-	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE
203	203	HM	3'-0"	7'-0"	-	-	-	HM	2"	2"	2"	PER BUILDING MANUFACTURE

### Symbol Legend


- TYPICAL STEEL FRAMED WALL
- WOOD STUD WALLS TO STRUCTURE W/ SOUND INSULATION
- ROOM NUMBER SEE THIS SHEET FOR ROOM FINISH SCHEDULE
- DOOR NUMBER SEE THIS SHEET FOR DOOR SCHEDULE
- WINDOW NUMBER SEE THIS SHEET
- WALL TYPES, SEE THIS SHEET AND A2.2 FOR ADDITIONAL SYMBOL INDICATIONS
- EQUIPMENT, SEE SHEET A2.2 FOR EQUIPMENT SCHEDULE & ADDITIONAL EQUIPMENT
- INTERIOR ELEVATIONS, SEE SHEET A2.2
- GRAPHIC SYMBOL, SEE SHEET A2.2

### General Notes

- DIMENSIONS ARE TO FACE OF STUD UNLESS NOTED OTHERWISE.
- DO NOT SCALE DRAWINGS. NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- TYPICAL DOOR FRAME TO ADJOINING WALL DIMENSION TO BE 4" UNLESS NOTED OTHERWISE.
- INTERIOR WALLS ARE TO BE STEEL STUDS TYPICAL UNLESS NOTED OTHERWISE.
- AT DIMENSIONS NOTED TO BE "CLR" PROVIDE CLEARANCE FROM FINISHED WALL.
- PROVIDE 12" CLEARANCE FROM FINISHED WALL TO INSIDE FACE OF JAMB ON PUSH SIDE OF DOOR, REFER TO DETAIL 8/A2.2.
- LOCATION OF INTERIOR FRAMED WALL IS DICTATED ON THE FLARE OF THE STRUCTURAL FRAMING AND CEILING HEIGHT.




Upper Level Floor Plan (BASE BID)  
1/8" = 1'-0"




Door Types  
1/4" = 1'-0"


Window Elevations  
1/4" = 1'-0"



Upper Level Floor Plan (ALTERNATE "C")  
1/8" = 1'-0"



Maintenance Shop Main Floor Plan (BASE BID)  
1/8" = 1'-0"



Wash Bay Floor Plan (ALTERNATE "B")  
1/8" = 1'-0"

**GML ARCHITECTS - LLC**  
architects & planners  
1575 DELUCCHI LN. SUITE 120  
RENO - NEVADA 89502  
P - 775 - 829 - 8814  
F - 775 - 829 - 8828

JOHN D. GANTNER  
REGISTERED ARCHITECT  
STATE OF NEVADA  
No. 1314  
5-2-14

## CARSON CITY FLEET MAINTENANCE FACILITY EXPANSION

CARSON CITY, NEVADA

DATE 6-2-14  
JOB NO 796  
DRAWN RBR  
CHECKED MLM/JDG


BUILDING DEPARTMENT COMMENTS  
4/24/14

# FLOOR PLANS

## A2.1


Graphic Schedule			
Symbol	Type	Detail	Graphic
1	B	9/A10	UNISEX
2	B	8/A10	MEN
3	C	10/A10	FIRE RISER ROOM

Equipment Schedule								
Schedule Item	Size			Detail	Contractor Furnished and Installed	Other Furnished and Installed	Contractor Installed	Remarks
	No.	Description	Width					
1	Grab Bar	48"						Refer to Specifications for Equipment
2	Grab Bar	36"						
3	Grab Bar		18"					
4	Toilet Paper Disp.							
5	Soap Dispenser							
6	Paper Towel/ Waste Recept.							
7	Seat Cover Dispenser							
8	Sanitary Napkin Disposal							
9	Mirror	24"	36"					
10	Toilet Partitions							
11	Lockers	18"	72"	21"				SINGLE TIER WITH 6" STEEL STUD CURB
12	Fire Ext. & Cabinet							
13	Vacuum							ALTERNATE "B"
14	S. S. Corner Guards							54" IN HEIGHT 4" X WALL WIDTH X 4"
15	MARKER BOARD	96"	48"					ALTERNATE "C"
16	CAT WALK							ALTERNATE "B"
17	FIRE EXTINGUISHER W/ HANGER							HIGH HAZARD




**EQUIPMENT SCHEDULE GENERAL NOTES:**  
1. THE CONTRACTOR IS RESPONSIBLE TO PROVIDE AND COORDINATE ALL ROUGH-IN, BACKING AND OTHER INSTALLATION REQUIREMENTS THAT ARE NECESSARY TO ACCOMMODATE THE CONTRACTOR AND OTHER FURNISHED EQUIPMENT. REFER TO MANUFACTURERS LITERATURE FOR FURTHER INSTALLATION REQUIREMENTS.


**Lobby - Room #100**  
1/4"=1'-0"




**Open Office - Room #200 (ALT. 'C')**  
1/4"=1'-0"




**Enlarged Floor Plan**  
1/4" = 1'-0"




**Typ. Accessible Door Clearances**  
NTS. DTL\_0526




**Uni-Sex - Room #103**  
1/4"=1'-0"



**Men - Room #102**  
1/4"=1'-0" NOTE: SHADED AREA INDICATES FRP LOCATIONS.




**Typ. Mounting Heights**  
NTS. DTL\_1049



**Wall Types**  
1-1/2"=1'-0" GENERAL NOTE: SEE ENLARGED FLOOR PLANS FOR ADDITIONAL WALL TYPE CALL OUTS

**GML ARCHITECTS - LLC**  
architects & planners  
1575 DELUCCHI LN. SUITE 120  
RENO - NEVADA 89502  
P - 775 - 829 - 8814  
F - 775 - 829 - 8828

**JOHN D. GANTNER**  
REGISTERED  
No. 1314  
ARCHITECT  
STATE OF NEVADA  
5-2-14




**CARSON CITY FLEET MAINTENANCE FACILITY EXPANSION**  
CARSON CITY, NEVADA

DATE	6-2-14
JOB NO	796
DRAWN	RBR
CHECKED	MLM/JDG

BUILDING DEPARTMENT COMMENTS  
4/24/14

**ENLARGED PLANS, WALL TYPES, INTERIOR ELEVATIONS AND DETAILS**  
**A2.2**



CARSON CITY  
FLEET  
MAINTENANCE  
FACILITY  
EXPANSION


CARSON CITY,  
NEVADA

DATE	6-2-14
JOB NO	796
DRAWN	RBR
CHECKED	MLM/JDG


▲ BUILDING DEPARTMENT COMMENTS  
4/24/14

EXTERIOR  
ELEVATIONS


A3




North Elevation  
1/8" = 1'-0"



West Elevation  
1/8" = 1'-0"



East Elevation  
1/8" = 1'-0"



South Elevation  
1/8" = 1'-0"



CARSON CITY  
FLEET  
MAINTENANCE  
FACILITY  
EXPANSION


CARSON CITY,  
NEVADA

DATE	6-2-14
JOB NO	796
DRAWN	RBR
CHECKED	MLM/JDG


BUILDING DEPARTMENT COMMENTS  
4/24/14

BUILDING  
SECTIONS


A4



Building Section  
1/4" = 1'-0"



Building Section (Base Bid)  
1/4" = 1'-0"



Building Section - ("ALTERNATE "B")  
1/4" = 1'-0"



CARSON CITY  
 FLEET  
 MAINTENANCE  
 FACILITY  
 EXPANSION

CARSON CITY,  
 NEVADA

DATE 6-2-14  
 JOB NO 796  
 DRAWN RBR  
 CHECKED MLM/JDG


△ BUILDING DEPARTMENT COMMENTS  
 4/24/14

WALL  
 SECTIONS


A5

Material List


1. CONC. SLAB ON GRADE - SEE STRUCT. DRAWINGS
2. AGGREGATE BASE - SEE STRUCTURAL DRAWINGS
3. 2" RIGID PERIMETER INSULATION BOARD R-10
4. CONCRETE FOOTING - SEE STRUCTURAL DRAWINGS
5. ENGINEERED FILL - SEE STRUCTURAL DRAWINGS
6. PREFINISHED SHEET METAL ROOFING
7. PREFINISHED SHEET METAL SIDING
8. FURLIN - SEE STRUCTURAL DRAWINGS
9. GIRT - SEE STRUCTURAL DRAWINGS
10. VINYL FACED (SIMPLE SAVER SYSTEM OR EQUAL)
11. R-38 INSULATION
12. 5/8" TYPE 'X' GYP. BOARD
13. RAKE FLASHING
14. SUSPENDED GYP. BOARD CEILING SYSTEM
15. WIRES TO STRUCTURE ABOVE
16. VINYL FACED (SIMPLE SAVER SYSTEM OR EQUAL)
17. R-25 INSULATION
18. CONCRETE APRON, SEE STRUCTURAL
19. PREFINISHED DOWNSPOUT BEYOND
20. PREFINISHED GUTTER
21. FRP PANELS
22. EAVE STRUT
23. BASE AS SCHEDULED
24. SOUND INSULATION
25. 2x SECONDARY FRAMING FOR HANGER WIRES
26. 1/8" HAT CHANNELS # 16" O.C.
27. GUARD RAIL
28. TJI JOIST, SEE STRUCTURAL
29. WALL BEYOND
30. WEATHER RESISTIVE BARRIER
31. SECTIONAL DOOR TRACK
32. RIGID FRAME, BEYOND
33. 2x4 # 16" O.C.
34. 2x6 # 16" O.C.
35. RAFTERS, SEE STRUCTURAL
36. GRACE ICE & WATER SHIELD
37. W-BEAM, SEE STRUCTURAL
38. 15/32" PLYWOOD WALL SHEATHING, REFER TO STRUCTURAL.
39. 1/2" HAT CHANNELS # 16" O.C.
40. PLYWOOD SHEATHING, SEE STRUCTURAL
41. PIPE BOLLARD PAINTED
42. CONT. ROOF FLASHING
43. TUBE STEEL (T.S.) SEE STRUCTURAL
44. (E) SHEET METAL ROOFING OF (E) METAL BUILDING.
45. H.M. FRAME FIXED WINDOW UNIT
46. 9" AIR SPACE BETWEEN (E) AND NEW METAL BUILDING.
47. 1/8" HAT CHANNELS # 16" O.C.
48. FLOORING AS SCHEDULED
49. LIGHTING, REFER TO ELECTRICAL DRAWINGS
50. ACOUSTICAL CEILING TILE
51. PVC WALL PANELS
52. WINDOW UNIT, REFER TO WINDOW ELEVATIONS
53. 8" 16 GA. METAL STUDS # 16" O.C.
54. (E) CONCRETE SLAB ON GRADE
55. R-25 BATT INSULATION



Wall Section 3  
 3/4" = 1'-0"




Wall Section 2  
 3/4" = 1'-0"



Wall Section 1  
 3/4" = 1'-0"








CARSON CITY  
 FLEET  
 MAINTENANCE  
 FACILITY  
 EXPANSION  
 CARSON CITY,  
 NEVADA


DATE	6-2-14
JOB NO	796
DRAWN	RBR
CHECKED	MLM/JDG

▲ BUILDING DEPARTMENT COMMENTS  
 4/24/14


ROOF PLAN  
 A7




Rake Detail  
 3'-1'-0" 1911\_293 2



Ridge Detail  
 1 1/2'-1'-0" 0711\_300 3



Eave Detail  
 3'-1'-0" 0711\_280 1



Maintenance Shop Roof Plan (BASE BID)  
 1/8" = 1'-0"

Maintenance Shop Roof Plan (ALTERNATE 'B')  
 1/8" = 1'-0"



CARSON CITY  
FLEET  
MAINTENANCE  
FACILITY  
EXPANSION


CARSON CITY,  
NEVADA

DATE 6-2-14  
JOB NO 796  
DRAWN RBR  
CHECKED MLM/JDG

▲ BUILDING DEPARTMENT COMMENTS  
4/24/14

REFLECTED  
CEILING PLANS

A8




Upper Floor Reflected Ceiling Plan  
1/8" = 1'-0"  
(BASE BID)

Reflected Ceiling Legend


	GYP. BD CEILING		ROOM NUMBER
	2 x 4 ACOUSTICAL TILE CEILING SYSTEM		LIGHT FIXTURE, SEE ELECT.
	MECHANICAL GRILLES / DIFFUSERS		LIGHT FIXTURE, SEE ELECT.
	2 x 4 LAY-IN LIGHT FIXTURE, SEE ELECTRICAL FOR TYPE		CEILING ACCESS PANEL X/AX, X, COORDINATE LOCATION TO CLEAR ANY EQUIP. BELOW
	SURFACE MOUNTED OR SUSPENDED LIGHT FIXTURE		TYPICAL STEEL FRAMED WALL
	CEILING HEIGHT INDICATION		WOOD STUD WALLS TO STRUCTURE W/ SOUND INSULATION
	OPEN TO STRUCTURE		

General Notes


- COORDINATE LOCATION OF LIGHTING AND MECHANICAL DIFFUSERS WITH ELECTRICAL AND MECHANICAL PLANS. NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- ALL FRAMED WALLS WHICH ADJOIN CEILINGS IDENTIFIED W/ SOUND INSULATION SHALL BE PROVIDED W/ SOUND INSULATION FOR THEIR ENTIRE HEIGHT. THIS INCLUDES WALLS WHICH DIVIDE TWO INSULATED CEILING AREAS AND WALLS WHICH DIVIDE INSULATED FROM NON-INSULATED CEILING AREAS. OTHER WALLS SHALL RECEIVE SOUND INSULATION AS NOTED ELSEWHERE.
- ALL EXPOSED DUCTWORK, STEEL JOISTS, METAL DECK, RACEWAYS, CONDUIT, PIPING, ECT. THAT EXIST IN ANY O.T.S. EXPOSED AREAS SHALL BE PAINTED. COLOR OF ALL ITEMS SHALL BE DIFFERENT AS IT RELATES TO THE TYPE OF ITEM PAINTED. COLOR SHALL BE SELECTED BY ARCHITECT.
- REFER TO DETAILS 142/AB,1 FOR TYPICAL WIRE BRACING DETAILS TYPICAL AT ALL SUSPENDED CEILINGS.





















Upper Floor Reflected Ceiling Plan  
1/8" = 1'-0"  
(ALTERNATE "C")



Main Floor Reflected Ceiling Plan  
1/8" = 1'-0"  
(BASE BID)



Wash Bay Reflected Ceiling Plan  
1/8" = 1'-0"  
(ALTERNATE "B")



CARSON CITY  
FLEET  
MAINTENANCE  
FACILITY  
EXPANSION

CARSON CITY,  
NEVADA

DATE	6-2-14
JOB NO	796
DRAWN	RBR
CHECKED	MLM/JDG

BUILDING DEPARTMENT COMMENTS  
4/24/14