



STAFF REPORT

Report To: Board of Supervisors

Meeting Date: December 6, 2018

Staff Contact: Carol Akers, Zach Good and Sean Slamon

Agenda Title: For Possible Action: To approve the purchase of one new Type 1 Fire Engine and one new Tractor Drawn Aerial Apparatus (Ladder Truck) for the Carson City Fire Department, utilizing cooperative purchasing contract No. FS12-17 with H-GAC Buy for a not to exceed amount of \$1,853,041.22. (Carol Akers; cakers@carson.org, Zach Good; zgood@carson.org and Sean Slamon; sslamon@carson.org).

Staff Summary: The Carson City Fire Department is looking to purchase one new Type 1 Engine and one new Tractor Drawn Aerial Apparatus (Ladder Truck) from the Houston-Galveston Area Council (H-GAC) Buy program No. FS12-17 through Superior Equipment an authorized dealer for Pierce Manufacturing. The City will exercise the discount for multiple orders and prepayment discount offered in this purchasing agreement.

Agenda Action: Formal Action/Motion

Time Requested: 5 Minutes

Proposed Motion

I move to approve the purchase of one new Type 1 Fire Engine and one new Tractor Drawn Aerial Apparatus utilizing cooperative purchasing contract No. FS12-17 with H-GAC Buy for a not to exceed amount of \$1,853,041.22.

Board's Strategic Goal

Safety

Previous Action

N/A

Background/Issues & Analysis

This new Type 1 Fire Engine will replace Unit 7007, a 1993 Hi-Tech Type 1 Fire Engine with 121,437 miles / 12,416 hours. The estimated service life of this apparatus is 10 years front line and five years in reserve for a total of 15 years.

Carson City has been without an aerial ladder truck of any kind since 2011. There are currently over 40 buildings in our community that are greater than three stories with additional buildings under construction or in planning phases. The Fire Department is unable to make access to the upper story windows or roofs for rescue or vertical ventilation. The nearest ladder truck resides in Douglas County, when available; it is unstaffed and has been mechanically out of service for over one month. The average response time into the core of Carson City, for this unit, is over 15 minutes when Douglas County fire crews are in the station and able to cross staff the apparatus for response. On several occasions over the last 12 months we have had to request an aerial ladder truck from outside agencies including Reno. Their response time into our community is over 30 minutes, if they are available.

The new Tractor Drawn Aerial Apparatus will allow firefighters to reach victims in windows, make roof access to buildings greater than three stories, and provide an aerial waterway that can produce a flow of over 1,500

gallons per minute above the seat of an out of control fire. The service life of this apparatus is 15 years front line and five years in reserve for a total of 20 years.

Applicable Statute, Code, Policy, Rule or Regulation

NRS Chapter 332.195

Financial Information

Is there a fiscal impact? Yes No

If yes, account name/number: Capital Vehicle Replacement / 210-0000-413.77-05

Is it currently budgeted? Yes No

Explanation of Fiscal Impact: Capital Vehicle Replacement account 210-0000-413.77-05 will be reduced by \$1,853,041.22. These purchases were included in the FT19 Capital Improvement Program.

Alternatives

None.

Board Action Taken:

Motion: _____

1) _____

2) _____

Aye/Nay

(Vote Recorded By)



This Purchase Agreement (together with all attachments referenced herein, the “Agreement”), made and entered into by and between Icarus Fire and Equipment Company LLC d/b/a Superior Equipment (“Superior”), and Carson City, a City (“Customer”) is effective as of the date specified in Section 3 hereof.

1. Definitions.

- a. **“Product”** means the fire apparatus and any associated equipment manufactured or furnished for Customer by Superior pursuant to the Specifications.
- b. **“Specifications”** means the general specifications, technical specifications, training, and testing requirements for the Product contained in the Superior Proposal for the Product prepared in response to Customer’s request for proposal.
- c. **“Superior Proposal”** means the proposal provided by Superior attached as Exhibit C prepared in response to Customer’s request for proposal.
- d. **“Delivery”** means the date Superior is prepared to make physical possession of the Product available to Customer.
- e. **“Acceptance”** Customer shall have ten (10) business days of Delivery to inspect the Product for substantial conformance with the material Specifications; unless Superior receives a Notice of Defect within ten (10) business days of Delivery, the Product will be deemed to be in conformance with the Specifications and accepted by Customer.

2. Purpose. This Agreement sets forth the terms and conditions of Superior’s sale of the Product to Customer.

3. Term of Agreement. This Agreement will become effective on the date it is signed and approved by Superior’s authorized representative pursuant to Section 22 hereof (“Effective Date”) and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon Customer’s Acceptance and payment in full of the Purchase Price.

4. Purchase and Payment. Customer agrees to purchase the Product specified on Exhibit A for the total purchase price of \$One Million Nine Hundred forty seven thousand one hundred thirty one dollars and eight cents. (\$1,947,131.08) (“Purchase Price”). Prices are in U.S. funds and include sales and/or use taxes. If Customer shall fail for any reason to make any such payment(s) in a timely manner, Superior may: (i) demand full or partial payment in advance as a condition to further business; (ii) modify payment terms on outstanding orders; (iii) withhold delivery of Product until payment is made in full; (iv) demand additional security; and/or (v) terminate this Agreement in accordance with Section 7 of this Agreement.

5. Future Changes. Various state or federal regulatory agencies (e.g. NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price and will be paid by Customer. In addition, any future drive train upgrades (engine, transmission, axles, etc.), or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. To the extent practicable, Superior will document and itemize any such price increases for Customer.

6. Agreement Changes. Customer may request that Superior incorporate a change to the Products or the Specifications for the Products by delivering a change order to Superior; provided, however, that any such change order must be in writing and include a description of the proposed change sufficient to permit Superior to evaluate the feasibility of such change (“Change Order”). Within seven (7) business days of receipt of a Change Order, Superior will inform Customer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or Delivery resulting from such Change Order. Superior shall not be liable to Customer for any delay in performance or Delivery arising from any such Change Order. A Change Order is only effective when counter-signed by Superior’s authorized representative.

7. Cancellation/Termination. In the event this Agreement is cancelled or terminated by a party before completion, Superior may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by Superior; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. Superior endeavors to mitigate any such costs through the sale of such Product to another purchaser; however Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by Superior upon sale of the Product to another purchaser, plus any costs incurred by Superior to conduct any such sale.

8. Delivery, Inspection and Acceptance. (a) Delivery. Delivery of the Product is scheduled to be within Pumper 8-9 Tiller 10-11 months of the Effective Date of this Agreement, F.O.B. Superior's plant, Appleton, Wisconsin. Risk of loss shall pass to Customer upon Delivery. (b) Inspection and Acceptance. Upon Delivery, Customer shall have ten (10) business days within which to inspect the Product for substantial conformance to the material Specifications, and in the event of substantial non-conformance to the material Specifications to furnish Superior with written notice sufficient to permit Superior to evaluate such non-conformance ("Notice of Defect"). Any Product not in substantial conformance to material Specifications shall be remedied by Superior within thirty (30) days from the Notice of Defect. In the event Superior does not receive a Notice of Defect within ten (10) business days of Delivery, Product will be deemed to be in conformance with Specifications and Accepted by Customer. Superior will not be responsible for failure to deliver goods on time, or to fill orders where prevented by causes outlined in Section 13, below.

9. Notice. Any required or permitted notices hereunder must be given in writing at the address of each party set forth below, or to such other address as either party may substitute by written notice to the other in the manner contemplated herein, by one of the following methods: hand delivery; registered, express, or certified mail, return receipt requested, postage prepaid; or nationally-recognized private express courier:

Superior Manufacturing
Director of Order Management
7285 South 700 West
P.O. Box 399
Midvale, UT 84047
Fax (801) 565-0671

Customer
Carson City Fire Department

10. Standard Warranty. Any applicable Superior warranties are attached hereto as Exhibit B and made a part hereof. Any additional warranties must be expressly approved in writing by Superior's authorized representative.

a. Disclaimer. OTHER THAN AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER SUPERIOR NOR ITS AFFILIATES, SUBSIDIARIES, LICENSORS OR SUPPLIERS, THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, SHAREHOLDERS, AGENTS OR REPRESENTATIVES, MAKE ANY EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE PRODUCTS PROVIDED HEREUNDER OR OTHERWISE REGARDING THIS AGREEMENT, WHETHER ORAL OR WRITTEN, EXPRESS, IMPLIED OR STATUTORY. WITHOUT LIMITING THE FOREGOING, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, THE IMPLIED WARRANTY AGAINST INFRINGEMENT, AND THE IMPLIED WARRANTY OR CONDITION OF FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED AND DISCLAIMED. STATEMENTS MADE BY SALES REPRESENTATIVES OR IN PROMOTIONAL MATERIALS DO NOT CONSTITUTE WARRANTIES. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

b. Exclusions of Incidental and Consequential Damages. In no event shall Superior be liable for consequential, incidental or punitive damages incurred by Customer or any third party in connection with any matter arising out of or relating to this Agreement, or the breach thereof, regardless of whether such damages arise out of breach of warranty, tort, contract, strict liability, statutory liability, indemnity, whether resulting from non-delivery or from Superior's own negligence, or otherwise.

11. Insurance. Superior maintains the following limits of insurance with a carrier(s) rated A- or better by A.M. Best:

Commercial General Liability Insurance:

Products/Completed Operations Aggregate: \$1,000,000
Each Occurrence: \$1,000,000

Umbrella/Excess Liability Insurance:

Aggregate: \$2,000,000
Each Occurrence: \$2,000,000

Customer may request: (x) Superior to provide Customer with a copy of a current Certificate of Insurance with the coverages listed above; (y) to be included as an additional insured for Commercial General Liability (subject to the terms and conditions of the applicable Superior insurance policy); and (z) all policies to provide a 30 day notice of cancellation to the named insured

12. Indemnity. Customer shall indemnify, defend, and hold harmless Superior, its officers, employees, dealers, agents or subcontractors, from any and all claims, costs, judgments, liability, loss, damage, attorneys' fees or expenses of any kind or nature whatsoever (including, but without limitation, personal injury and death) to all property and persons caused by, resulting

from, arising out of or occurring in connection with Customer's purchase, installation, or use of goods sold or supplied by Superior.

13. Force Majeure. Superior shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond Superior's control which make Superior's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

14. Default. The occurrence of one or more of the following shall constitute a default under this Agreement: (a) Customer fails to pay when due any amounts under this Agreement or to perform any of its obligations under this Agreement; (b) Superior fails to perform any of its obligations under this Agreement; (c) either party becomes insolvent or become subject to a bankruptcy or insolvency proceedings; (d) any representation made by either party to induce the other to enter into this Agreement is false in any material respect; (e) Customer dissolves, merges, consolidates or transfers a substantial portion of its property to another entity; or (f) Customer is in default or has breached any other contract or agreement with Superior.

15. Manufacturer's Statement of Origin. It is agreed that the manufacturer's statement of origin ("MSO") for the Product covered by this Agreement shall remain in the possession of Superior until the entire Purchase Price has been paid. If more than one Product is covered by this Agreement, then the MSO for each individual Product shall remain in the possession of Superior until the Purchase Price for that Product has been paid in full. In case of any default in payment, Superior may take full possession of the Product, and any payments that have been made shall be applied as payment for the use of the Product up to the date of taking possession.

16. Independent Contractors. The relationship of the parties established under this Agreement is that of independent contractors and neither party is a partner, employee, agent, or joint venturer of or with the other.

17. Assignment. Neither party may assign its rights and obligations under this Agreement unless it has obtained the prior written approval of the other party.

18. Governing Law; Jurisdiction. Without regard to any conflict of laws provisions, this Agreement is to be governed by and under the laws of the state of Utah.

19. Facsimile Signatures. The delivery of signatures to this Agreement by facsimile transmission shall be binding as original signatures.

20. Entire Agreement. This Agreement shall be the exclusive agreement between the parties for the Product. Additional or different terms proposed by Customer shall not be applicable, unless accepted in writing by Superior's authorized representative. No change in, modification of, or revision of this Agreement shall be valid unless in writing and signed by Superior's authorized representative.

21. Conflict. In the event of a conflict between Customer Specifications and the Superior Proposal, the Superior Proposal shall control. In the event there is a conflict between the Superior Proposal and this Agreement, the Superior Proposal shall control.

22. Signatures. This Agreement is not effective unless and until it is approved, signed and dated by Superior's authorized representative.

Accepted and agreed to:

SUPERIOR EQUIPMENT

CUSTOMER: Carson City

Name: _____

Name: _____

Title: _____

Title: _____

Date: _____

Date: _____

EXHIBIT A

PURCHASE DETAIL FORM

Superior Manufacturing
 Director of Order Management
 7285 South 700 West
 Midvale, Utah 84047
 Fax (801) 565-0671

Date: 11/05/2018

Customer Name: Carson City

Quantity	Chassis Type	Body Type	Price per Unit
1	Arrow XT	Tiller	\$1,315,581.07
1	Quantum	Pumper	\$631,550.01
Total	Without Prepay Discounts	Without Multiple Order	\$1,947,131.08
1	Discount for Multiple Order	Tiller	\$(22,620.63)
1	Prepay Interest Discount	Pumper	\$(10,047.07)
1	Prepay Chassis Discount	Pumper	\$(10,582.47)
1	Prepay Interest Discount	Tiller	\$(33,785.13)
1	Prepay Chassis Discount	Tiller	\$(10,788.45)
1	Prepay Aerial Discount	Tiller	\$(6,266.11)
Total	Discounts with prepay	And multiple order	\$1,853,041.22

Warranty Period: See proposal for all warranties

Training Requirements: 1 Day of training for each shift with Superior Equipment Salesman

Other Matters: Performance bond included.

This contract is available for inter-local and other municipal corporations to utilize with the option of adding or deleting any Superior available options, including chassis models. Any addition or deletion may affect the unit price.

Payment Terms: Prepay discount requires 100% of funds within 15 calendar days of signed contract
If you choose to not prepay full payment must be made within 10 calendar days of delivery.

[NOTE: If deferred payment arrangements are required, Customer must make such financial arrangements through a financial institution acceptable to Superior.] All taxes, excises and levies that Superior may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Product sold by Superior to Customer shall be for the account of Customer and shall be added to the Purchase Price. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the prices on all unshipped Product will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent per month or such lesser amount permitted by law. Superior will not be required to accept payment other than as set forth in this Agreement. However, to avoid a late charge assessment in the event of a dispute caused by a substantial nonconformance with material Specifications (other than freight), Customer may withhold up to five percent (5%) of the Purchase Price until such time that Superior substantially remedies the nonconformance with material Specifications, but no longer than sixty (60) days after Delivery. If the disputed amount is the freight charge, Customer may withhold only the amount of the freight charge until the dispute is settled, but no longer than sixty (60) days after Delivery. Superior shall have and retain a purchase money security interest in all goods and products now or hereafter sold to Customer by Superior or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by Customer of any debt, obligation or liability now or hereafter incurred or owing by Customer to Superior, Superior shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of Utah.

THIS PURCHASE DETAIL FORM IS EXPRESSLY SUBJECT TO THE PURCHASE AGREEMENT TERMS AND CONDITIONS DATED AS OF November 05, 2018 BETWEEN SUPERIOR MANUFACTURING AND Carson City WHICH TERMS AND CONDITIONS ARE HEREBY INCORPORATED IN, AND MADE PART OF, THIS PURCHASE DETAIL FORM AS THOUGH EACH PROVISION WERE SEPARATELY SET FORTH HEREIN, EXCEPT TO THE EXTENT OTHERWISE STATED OR SUPPLEMENTED BY SUPERIOR MANUFACTURING HEREIN.

EXHIBIT B
WARRANTY

EXHIBIT C

SUPERIOR PROPOSAL



Proposal Option List

10/30/2018

Customer: Carson City Fire Department
Representative Kowatch, Thom
Organization: Superior Equipment
Requirements Manager:
Description: Carson City 31956 Dupe
Body: Aerial, Tiller, Alum Body
Chassis: Arrow XT Chassis, Tractor (Tiller)

Bid Number: 255
Job Number:
Number of Units: 1
Bid Date: 09-12-2018
Stock Number:
Price Level: 37 (Current: 37)

Line	Option	Type	Option Description	Qty
1	0766599		Boiler Plates, Tiller Fire Department/Customer - Carson City Operating/In conjunction W-Service Center - Operating Miles - 500 Miles Number of Fire Dept/Municipalities - 5 Bidder/Sales Organization - Superior Equipment Delivery - Delivery representative Dealership/Sales Organization, Service - Superior Equipment	1
2	0018180		Single Source Compliance, Aerials	1
3	0584456		Manufacture Location, Appleton, Wisconsin	1
4	0584452		RFP Location: Appleton, Wisconsin	1
5	0588609		Vehicle Destination, US	1
6	0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
7	0533349		Aerial Fire Apparatus	1
8	0588613		Vehicle Certification, Aerial w/o Pump	1
9	0681279		Agency, Apparatus Certification, Aerial w/o Pump, U.L.	1
10	0000000	STF	Weekly Photo Reports ***** AERIAL & HDR *****	1
11	0007289		Delivery Location - Carson City Fleet Shop Fill in Blank - TBD	1
12	0000114		Inspection Trip(s) Qty, - 03 Fill in Blank - Three from CCFD plus salesperson	3
13	0620362		Consortium, HGAC	1
14	0535579		Not Required, Unit of Measure, (no pump, no tank)	1
15	0529326		Bid Bond, 10%, Pierce Built Chassis	1
16	0582697		Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100	1
17	0000007		Approval Drawing	1
18	0002928		Electrical Diagrams	1
19	0624883		Arrow XT Chassis, Tractor (Tiller)	1
20	0021010		Maximum Overall Length Size - Can not exceed 57' 3".	1
21	0000110		Wheelbase Wheelbase - 153"	1
22	0000070		GVW Rating GVW rating - 76,600 lb.	1
23	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF	1
24	0050817		Frame Liner, Inv "L" 12.68" x 3.00" x .25", AXT, Front Reinforcement	1
25	0018453		Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Qtm/AXT/DCF	1
26	0010427		Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf	1
27	0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf	1
28	0000322		Oil Seals, Front Axle	1
29	0594821		Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply	1
30	0019611		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot	1
31	0000310		Request for Turning Radius Report	1
32	0530473		Axle, Rear, Meritor RS30-185, 31,000 lb	1
33	0544244		Top Speed of Vehicle, 60 MPH	1
34	0515565		Suspen, Rear, Standens, Spring, 31,000 lb	1
35	0000485		Oil Seals, Rear Axle	1
36	0539392		Plug, Rear Axle Drain, Magnetic	1

Line	Option	Type	Option Description	Qty
37	0582088		Tires, Rear, Goodyear, G291, 315/80R22.50, 20 ply, Single	1
38	0019668		Wheels, Rear, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot, Single	1
39	0568081		Tire Balancing, Counteract Beads	1
40	0602747		No Tire Pressure Indicator, Fire Department Omits, Non-NFPA 2016 Compliant	1
41	0002045		Mud Flaps, w/logo front & rear	1
42	0020257		Mud flaps, w/Logo, Tiller Trailer	1
43	0601010		Chocks, Wheel, SAC-44-E, Folding, Aerials	1
			Qty, Pair - 01	
44	0601009		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal, Aerials	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Tire, Forward	
45	0020670		ABS Wabco Brake System, Single Axle, Tiller	1
46	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
47	0000740		Brakes, Meritor, Cam, Rear, 16.50 x 8.63"	1
48	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
49	0000786		Brake Reservoirs, Four	1
50	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
51	0000790		Brake Lines, Nylon	1
52	0000854		Air Inlet, w/Disconnect Coupling	1
			Location, Air Coupling(s) - a) DS Step Well, Forward	
			Qty, Air Coupling (s) - 1	
53	0643363		Outlet, Air, with Shut Off Valve, Location	1
			Location - Recessed in forward wall of LS1.	
			Qty, Air Coupling (s) - 1	
54	0656908		All Wheel Lock-up, Single Parking Brake Control	1
55	0795516		Engine, Cummins X15, 600 hp, 1850 lb-ft, W/OBD, EPA 2017, Arrow XT	1
56	0001244		High Idle w/Electronic Engine, Custom	1
57	0687994		Engine Brake, Jacobs Compression Brake, Cummins Engine	1
			Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo	
58	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
59	0043422		Air Intake, w/Ember separator, AXT	1
60	0794743		Exhaust System, 5", X12/X15 Engine, Horizontal, Right Side	1
61	0797727		Radiator, Arrow XT	1
62	0001090		Cooling Hoses, Rubber	1
63	0021125		Fuel Tank, 65 Gallon, Tractor Chassis, Sgl Axle, Left Side Fill	1
64	0001129		Lines, Fuel	1
65	0763582		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle, Tiller	1
			Door, Material & Finish, DEF Tank - Polished Stainless	
66	0552793		Not Required, Fuel Priming Pump	1
67	0552712		Not Required, Shutoff Valve, Fuel Line	1
68	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
69	0578959		Fuel/Water Separator, Racor Inline	1
70	0642538		Trans, Allison 5th Gen, 4500 EVS P, w/Prognostics, Arrow XT	1
71	0693570		Transmission, Shifter, 6-Spd, Push Button, 4500 EVS, AXT, Qtm, Dash CF	1
			Trans, ratio - 4500 EVS, 6Spd	
72	0797722		Transmission Oil Cooler, Modine, External, AXT	1
73	0535530		Mode, Downshift, Aggressive downshift to 2nd, w/engine brake, 6 speed	1
74	0078047		Sealant, Silicone, PTO Plug (Connector)	1
75	0001375		Driveline, Spicer 1810	1
76	0562365		Joints, Universal, Half Round	1
77	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
78	0001544		Not Required, Steering Assist Cylinder on Front Axle	1
79	0509230		Steering Wheel, 4 Spoke without Controls	1
80	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - BLANK (NO TEXT)	
			Text, Row (2) Two - CARSON CITY	
			Text, Row (3) Three - FIRE DEPT.	
81	0673915		Bumper, Non-Extended, Polished S/S, Special Reduced Length, Arrow XT	1
82	0630210		No Selection Required, Cover Selected in Bumper Accessories	1
83	0614646		No Lift & Tow Package, Imp/Vel, AXT, SFR/Enf	1
84	0049963		Tow Eyes, Painted Black, Below Deck	1

Line	Option	Type	Option Description	Qty
85	0562563		Cab, Arrow XT 2010, 5700	1
86	0614526		Engine Tunnel, ISX15, Arrow XT	1
87	0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	1
88	0562663		Cab Lift, Elec/Hyd, AXT	1
89	0640431		Grille, Bright Finished, Front of Cab, Arrow-XT	1
90	0647932		Not Required, Trim, S/S Band, Across Cab Face, AXT/Dash CF/Saber/Enforcer	1
91	0015440		No Chrome Molding, On side of cab	1
92	0521669		Mirrors, Retractable, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex	1
93	0561587		Mirror, Blind Spot Convex (Grote Brand) @ PS Cab Roof Corner	1
94	0563092		Door, Half-Height, Arrow-XT 4-Door Cab, Level Roof	1
95	0655603		Door Panel, Brushed Stainless Steel, Arrow XT 4-Door Cab	1
96	0528958		Not Required, Controls, Electric Window, AXT, Quantum, Saber, Enforcer, Dash CF	1
97	0563603		Steps, 4-Door Cab, AXT	1
98	0763659		Handrail, Exterior, Knurled, Alum, 4-Door Cab, AXT/SFR/Enf/Vel, 4x4	1
99	0509649		Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1Lt Per Step	1
100	0005772		Fenders, S/S on cab, w/Radius corner, 2.00" wide	1
101	0656985		Tractor 5th Wheel and Fender Skirts, Single, Tiller, Manual Tire Chains	1
102	0042105		No Windows, Side of Crew Cab	1
103	0050359		Windows, Rear CC, (2) Stationary, 11.29"W x 17.95"H, AXT	1
104	0654615		Mounting Provisions, 3/16" Alum, Eng Tnl, Include Blister Ang and Raceway, AXT	1
			Mounting Provision Spacing - .75"	
			Material Finish, Cab Interior - Painted	
105	0797262		Cab Interior, Vinyl, Arrow XT, CARE	1
			Color, Cab Interior Vinyl/Fabric - b) Light Gray	
			Cab Interior Rear Wall Material - Painted Aluminum	
106	0012430		Cab Interior, paint color	1
			Color, Cab Interior Paint - i) fire smoke gray	
107	0032100		Floor, Rubber Padded Cab & Crew Cab - AXT	1
108	0043079		Heater/defroster, AXT	1
109	0603353		Air Conditioning, Arrow-XT 2010	1
			Paint Color, A/C Condenser - Painted by OEM	
110	0639675		Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer	1
			Sun Visor Retention - Thumb Latch	
111	0069332		Grab Handles, Driver Side Low & Officer Dash Panel	1
112	0583938		Lights, Engine Compt, Custom, Auto Sw, WIn 3SC0CDCR, 3" LED, Trim	1
			Qty, - 01	
113	0631830		Fluid Check Access, Saber FR/Enforcer, Arrow XT	1
114	0583042		Side Roll and Frontal Impact Protection	1
115	0622619		Seating Capacity, 4 Seats	1
116	0697003		Seat, Driver, Pierce PSV, Air Ride, High Back, Safety	1
117	0696983		Seat, Officer, Pierce PSV, Air Ride, High Back, Safety	1
118	0002517		Not Required, Radio Compartment	1
119	0767841		Cabinet, Rear Facing, LS, 22 W x 42.5 H x 26 D, Radius, AXT	1
			Light, Short Cabinet - Pierce, Interior, Right Side	
			Material Finish, Shelf - Painted - Cab Interior	
			Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 0.75" Flange Down	
			Door, Cab Interior Cabinet - Rollup, Amdor, White, Non-Locking	
			Louvers, Cabinet - 0-No Louvers	
120	0102783		Not Required, Seat, Rr Facing C/C, Center	1
121	0565234		Seat, Rear Facing C/C, PS Outboard, Pierce PSV, SCBA, Safety	1
122	0565245		Seat, Forward Facing C/C, DS Outboard, Flip Up Cushion, Safety	1
123	0103319		Not Required, Seat, Forward Facing C/C, Center	1
124	0565256		Seat, Forward Facing C/C, PS Outboard, Flip Up Cushion, Safety	1
125	0042359		Upholstery, Seats In Cab, All Vinyl, CARE	3
			Color, Cab Interior Vinyl/Fabric - b) Light Gray	
			Qty, - 03	
126	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats	1
			Qty, - 1	
127	0603867		Seat Belt, ReadyReach	1
			Seat Belt Color - Red	
128	0553381		Seat Belt Height Adjustment, Arrow XT	1
129	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1

Line	Option	Type	Option Description	Qty
130	0647647		Lights, Dome, FRP Dual LED 4 Lts Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	1
131	0631776		Not Required, Overhead Map Lights	1
132	0599588		Handlts, (4) Streamlight, Survivor C4 LED, 12v, Yellow, 90513, Steady Charge Location, Lights - Three rechargeable lights mounted within reach of each crew seated position in the cab and the fourth light in compt. RS1.Mounted as far forward and inboard on the ceiling in an inverted position.	1
133	0567651		Cab Instruments, Ivory Gauges, Chrome Bezels, AXT MUX 2010	1
134	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
135	0543751		Light, Do Not Move Apparatus Alarm, Do Not Move Truck - Pulsing Alarm	1
136	0509042		Messages, Open Door/Do Not Move Truck, MUX w/Color Display	1
137	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX Location, Emerg Sw Pnls - Driver's Side Overhead	1
138	0617961		Wiper Control, 2-Speed with Intermittent, MUX, AXT/Dash CF	1
139	0002565		Hourmeter, Aerial Inside Cab	1
140	0002615		Switch, Aerial 12V Master	1
141	0032828		No PTO switch req'd - w/aerial piggyback	1
142	0797189		Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st Qty, - 03 12vdc power from - Battery direct Location - Within reach of each crew seated position in the cab. (3) total.	3
143	0615386		Vehicle Information Center, 7" Color Display, Touchscreen, MUX System Of Measurement - US Customary	1
144	0606247		Vehicle Data Recorder w/CZ Display Seat Belt Monitor	1
145	0759818	SP	Intercom, Setcom 950, 4-Pos, 2-Radio, (D, O), RPTT, 1C,TC Location - Within reach of the user.	1
146	0793667		Cable, Radio to Intercom Interface, Setcom 950, 1 Radio Radio, First Two-Way Model - Motorola XTL 6500 Radio, First Two-Way Make - Motorola High Power	1
147	0619798		Headset, Setcom, CSB-900R-1 Under Helmet, Radio Transmit, Right Cord, Gel Qty, - 01 Location - Driver	1
148	0620273		Headset, Setcom, CSB-900L-1 Under Helmet, Radio Transmit, Left Cord, Gel Qty, - 01 Location - Officer	1
149	0620281		Headset, Setcom, CSB-901R-1 Under Helmet, Intercom Only, Right Cord, Gel Qty, - 01 Location - Rear facing crew cab seat	1
150	0620275		Headset, Setcom, CSB-901L-1 Under Helmet, Intercom Only, Left Cord, Gel Qty, - 01 Location - Tiller cab	1
151	0681408		Hangers For Headsets, NFPA, Each Qty, - 04 Location, Headset Hangers - Driver Seat, Officer Seat, PS Outbrd, Rear Fcng Seat and Tiller Operator	4
152	0616382		Install Customer Provided GPS/Multimode Antenna(s) Qty, - 01	1
153	0559512		Install Customer Provided MDT, Complete (Qty) Location - On engine cover within reach of officer. Qty, - 01	1
154	0640003		Install Customer Provided Modem Location - Overhead above officer. Qty, - 01	1
155	0663968		Install Customer Provided Drug Vault, Knox Model #2 With WiFi, in Cab Location - TBD Qty, - 01	1
156	0559503		Install Customer Provided Portable Radio Charger(s) Location - Within reach of each seated position. Qty, - 04	4

Line	Option	Type	Option Description	Qty
157	0562774		Install Customer Provided Thermal Camera(s), Charger Only Location - TBD Qty, - 01	1
158	0696439		Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area Qty, - 01 Location, Antenna Mount - Right Side	1
159	0796433		Pierce Command Zone, Advanced Electronics & Control System, LEDs, AXT, Blk WiFi	1
160	0624265		Electrical System, Arrow XT MUX	1
161	0079211		Batteries, (6) Exide Grp 31, 950 CCA each, Threaded Stud	1
162	0008621		Battery System, Single Start, All Custom Chassis	1
163	0622896		Battery Compartment, Arrow XT Battery Trays - Roto-Molded Trays	1
164	0579436		Charger, Sngl Sys, Kussmaul, 1200, 091-187-12-Remote, 40 Amp	1
165	0012782		Location, Charger, Front Left Side Body Compartment Location, Battery Chrgr/Cmpr - High On Left Wall	1
166	0530960		Not Required, Remote Battery Charger Indicator	1
167	0016857		Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super Qty, - 01 Color, Kussmaul Cover - d) yellow Shoreline Connection - Battery Charger	1
168	0026800		Shoreline Location Location, Shoreline(s) - DS Extd Bumper	1
169	0567613		Trays, Battery Box, Roto-Molded Poly w/Drains, Pair	1
170	0647728		Alternator, 430 amp, Delco Remy 55SI	1
171	0686615		Set Command Zone Clock To Pacific Standard Time	1
172	0092582		Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable	1
173	0783153		Headlights, Rect LED, JW Spkr Evo 2, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel	1
174	0648425		Light, Directional, Wln 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF Color, Lens, LED's - c)clear	1
175	0648074		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	1
176	0620054		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
177	0647929		Lights, Directional/Marker, Cab Front Side, Truck-Lite 19036YLED,AXT/EnfMUX/DCF	1
178	0534987		Lights, Clearance/Marker/ID, Rear, Truck-Lite 33050R LED 7Lts, Aerial	1
179	0559318		Light, Marker End Outline, Rubber Arm, LED Marker Lamp, Turn Signal Location, Lights - (1) each side of body rear of LS1 and RS1 approx 12" above bottom edge of body Qty, Lights, Pair - 1	1
180	0564683		Lights, Tail, Wln M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg Color, Lens - Clear	1
181	0561471		Lights, Backup, Wln M6BUW, LED, For Tail Lt Housing	1
182	0664481		Bracket, License Plate & Light, P25 LED	1
183	0556842		Bezels, Wln, (2) M6 Chrome Pierce, For mtg (4) Wln M6 lights	1
184	0589905		Alarm, Back-up Warning, PRECO 1040	1
185	0525907		Light, Marker, Wln OS Series LED Marker Lights, Pair Location - on the sides of the trailer catwalk directly above the tiller trailer axle centered on D2 and P2 (NOT ON TOP OF DECK, HANG OFF OF SIDE SHEET) TREADPLATE DRIP RAILS on vertical surface with light facing up - Match 30635 photo C345 Qty, Lights, Pair - 1	1
186	0541759		Mounting, Light, Alum Treadplate Enclosure, Pair Location - (1) each side on side of body flange above tiller axle Qty, - 1 Fill in Blank - Weldon 9186-1500	1
187	0687604		Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Grommet Mt	1
188	0616293		Not Required, Lights Perimeter Pump House, No Pump	1
189	0680449		Lights, Perimeter Body, Truck-Lite 6060C LED 4lts, Turntbl/Rr Stp, Tiller Control, Perimeter Lts - Parking Brake Applied and Tiller Cab Switch Control, Perimeter Lts - Parking Brake Applied and Tiller Cab Switch	1
190	0644535		Lights, Step, P25 LED, Tiller 2002, Park Brk	1
191	0693551		Lights, Tractor Scene, Wln M9LZC LED, pair	1

Line	Option	Type	Option Description	Qty
192	0653189		Light, Wln, 12V PSL2B* Pioneer SlimLine LED, Bail Brkt, Tiller Cab Side 1st Location, Lights - driver side side of tiller cab mounted above the side window in the area that is approx. 3"T x 18.5"W. Light to be mounted at the very front corner and directed "outward and upward". To be switched separate. Qty, - 01 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - l) Tiller Cab Color, Wln Lt Housing - White Paint	1
193	0532322		Not Required, Hose Bed Lights, Alt. Rear Scene Lights, Aerials	1
194	0709438		Light, Walking Surf, FRP Flood, LED	1
195	0629191		Light, FRC, 12V SPA260-Q20* LED MAX, Surface Mount 2nd Location, Lights - LS of cab between crew doors as high as possible. Qty, - 02 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - g) PS Switch Panel Switch, Lt Control 3 DC,3 - e) Pump Operators Panel Switch, Lt Control 4 DC,4 - d) No Control Color, FRC/Rom Lt Housing - FRC, White Bezel	2
196	0620740		Light, FRC, 12V SPA260-Q20* LED MAX, Surface Mount 4th Location, Lights - (1) above D8 forward and (1) above D5 rearward.(1) above P8 forward and (1) above P5 rearward Qty, - 04 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - e) Pump Operators Panel Switch, Lt Control 4 DC,4 - l) Tiller Cab Color, FRC/Rom Lt Housing - FRC, White Bezel	4
197	0627087		Light, FRC, 12V SPA260-Q20* LED MAX, Surface Mount 3rd Location, Lights - Centered as high as possible below the tiller rear window. Qty, - 01 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - l) Tiller Cab Color, FRC/Rom Lt Housing - FRC, White Bezel	1
198	0629192		Light, FRC, 12V SPA260-Q20* LED MAX, Surface Mount 1st Location, Lights - RS of cab between crew doors as high as possible. Qty, - 01 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - g) PS Switch Panel Switch, Lt Control 3 DC,3 - e) Pump Operators Panel Switch, Lt Control 4 DC,4 - d) No Control Color, FRC/Rom Lt Housing - FRC, White Bezel	1
199	0639388		Light, Wln, 12V PSL2B* Pioneer SlimLine LED, Bail Brkt, Tiller Cab Side 2nd Location, Lights - passenger side of tiller cab mounted above the side window in the area that is approx. 3"T x 18.5"W. Light to be mounted at the very front corner and directed "outward and upward" Qty, - 01 Switch, Lt Control 1 DC,1 - m) no control Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - l) Tiller Cab Color, Wln Lt Housing - White Paint	1
200	0628885		Light, Centering, On Cab Roof, Tiller, Collapsible, Attwood 3520-7, Red/Grn LED Qty, Lights - 01	1
201	0618265		Light, Visor, FRC, 12V SPA851-Q28-*, LED MAX Qty, - 01 Location, driver's/passenger's/center - Centered Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - g) PS Switch Panel Switch, Lt Control 3 DC,3 - d) No Control	1

Line	Option	Type	Option Description	Qty
201			Switch, Lt Control 4 DC,4 - d) No Control Light, Visor, Flash - Steady Burning Color, FRC/Rom Lt Housing - FRC, White	
202	0766798		Lights, Rear Scene, WIn, M6ZC LED, 58" - 72" High Control, Rear Scene Lts - Cab Switch Panel DS	1
203	0090655		Aerial, Tiller, Alum Body	1
204	0554269		Body Skirt Height, 18"	1
205	0045810		Not Required, Water Tank, Tiller	1
206	0023410		Not Required, Overflow	1
207	0043076		Not Required, Hose Bed, Tiller	1
208	0013481		Not Required, Hose Bed Capacity	1
209	0013534		Not Required, Running Boards	1
210	0690023		Wall, Rear, Smooth Aluminum	1
211	0029503		Tow Eyes (2), Aerial	1
212	0090670		Construction, Compt, Alum, Tiller	1
213	0691465		Compt, Single Tractor Reservoir, Lap Door, 2010 Light, Strip - LED strip light Light, Strip, Additional - LED strip light 63.00"	1
214	0634723	SP	Compt, F/H, Trans Lap, Front Shortened, 79.00" Wide, LS Front	1
215	0040132		Compt, F/H, Trans Front, Lap, LS Center, Tiller	1
216	0759355	SP	Compt, Low Lap Front, Two Lift Past 90 w/no Upper Part, F/H Lap Rear, Blister	1
217	0634719	SP	Compt, F/H, Trans Lap, Front Shortened, 79.00" Wide, RS Front	1
218	0040145		Compt, F/H, Trans Front, Lap, RS Center, Tiller	1
219	0759154	SP	Compt, Low Lap Front, Two Lift Past 90 w/no Upper Part, F/H Lap Rear, Blister	1
220	0666828		Doors, Lap with "D" Handle, Aluminum, Side Compartments	1
221	0067768		Not Required, Bumper, Tiller	1
222	0524589		Scuffplate, Alum 4-Way, Top/Rear of Tractor Reservoir Compt, Tiller	1
223	0689549		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door Location - Left and right side of each compt door opening. All compartments except stokes and little giant comp. Qty, - 18	18
224	0562348		Fasteners, Mechanical, Strip Lighting In Compartments	1
225	0687135		Shelf Tracks, Unpainted Qty, Shelf Track - 06 Location, Shelf Track - LS1, LS6, LS7, RS5, RS6 and RS7	6
226	0687079		Shelves, Adjustable, 500 lb Capacity, Full Width/Depth, Brushed Aluminum Qty, Shelf - 05 Location, Shelf - RS5 (3) lower, middle, upper. LS1 (2) middle, upper.	5
227	0669974	SP	Shelves, Adj Full Width, Transverse Compartment, Brushed Aluminum Qty, Shelf - 02 Location, Shelf - 1st = Top of LS7 with 2" tall dividers spaced from front to rear as noted: 7", 7", 2.5", 2.5" 2nd = LS7 at the transition.	2
228	0606749		Tray, 500 lb, Slide-out, 2-Way, Utility, Adj Height, 3" Sides, Full Trans, D/A Location - (2) in LS6/RS6 to be split (like job #31956 located in LS7/RS7) mounted at the transition with one toolboard per sliding tray. (1) mounted at the transition in LS7/RS7. Qty, Tray (slide-out) - 03	3
229	0510777		Tray, 215 lb, Tilt/Slide-Out, 30 Deg, Adj, 1/2 Trans Location - (1) LS7 above 2 way trays and (1) RS7 above 2-way trays. Qty, Tray (slide-out) - 02	2
230	0690617		Toolboard, Swing-out, Alum, .188", Peg Board, Additional Finish - DA Finish location - RS2 Qty - 1 Location, Pivot - Back Mounting, Toolboard - Stationary Hole Diameter, Pegboard/Toolboard - .203" diameter	1
231	0540317		Toolboard, Swing-out, Alum, .188", Peg Board Qty - 1 Location, Pivot - Front Mounting, Toolboard - Stationary Finish, Pegboard/Toolboard - Dual Action Finish	1

Line	Option	Type	Option Description	Qty
231			Location, Toolboard - RS3	
232	0648481		Toolboard, Alum, Adj, Added to Transverse Slide-Out Tray Finish - DA Finish location - (1) on forward tray in LS6/RS6 mounted 9" clear from forward door opening and (1) on rear tray in LS6/PS6 mounted 7" clear from rear door opening Qty - 2	2
233	0558494		Drawer Assembly, CTECH, Two Drawers, Up To 36" Wide Location - LS4 floor next to 24" CTECH Qty, - 01 Size, Drawer Height 1 (Top) - 2.25" Size, Drawer Height 2 - 4.75"	1
234	0558491		Drawer Assembly, CTECH, Two Drawers, Up To 24" Wide Location - LS4 floor next to 36" CTECH Qty, - 01 Size, Drawer Height 1 (Top) - 2.25" Size, Drawer Height 2 - 4.75"	1
235	0669950	SP	Tray, Poly, Special Size Location - in LS8/RS8 rear of the CAFS system tank Qty, - 01 Size - sized to fit 150' of 1.75" hose and be transverse in D8/P8	1
236	0558977	SP	Dura-Surf, Floor of Stokes Storage Rack	1
237	0076795		Bracket, SCBA, Zico, ULLH, Load & Lock, Mounted Location - LS9, RS9, and RS1 Qty, Comp. Accessory - 03	3
238	0678715		Compt, At Rear Between Tow Eyes, Smooth Alum Sngl Pan Door w/D-Latch, Tiller	1
239	0762913		Divider, Vertical Location - Two adj. dividers in LS5 (1) 12" from front wall and (1) 12" from back wall. To hold elec. fans. Max height 28" per divider. Qty, - 02	2
240	0659383		Matting, Turtle Tile w/Ramp, Compt Floors Material Finish, Partition - Brushed Location - LS1, LS2, LS3, LS5, LS6, LS7, LS9, RS1, RS2, RS3, RS4, RS5, RS6, RS7, RS9. Qty, Comp. Accessory - 15 Color - 1) black Color, Tile Edge - black	15
241	0028026		Matting, Turtle Tile, Compt Shelving only Location - LS1 (2), LS6/RS6 sliding trays (2), LS7 (3), RS5 (3), RS6 (1) below sliding trays, RS7 (1) drop down tray. Qty, Shelf - 12 Color - 1) black	12
242	0539907		Pegboard, 3/16" Alum, w/o Holes, Unpainted, Back Wall Compt, w/Track Location - LS2 and LS3 back wall each compt. full width. Qty, Comp. Accessory - 02	2
243	0796216		Floor Extension, Compartment, 1.00" Downturned Lip Location - LS6 and RS6 Qty, - 02	2
244	0772372	SP	Compt, Trans,Above Rr Comp,TreadplateLiftDrPast90,Little Giant&Stokes,w/Div,Till box. Ladder, Make/Model - Little Giant Revolution Model 17 Size - 45"L (nested) x23" W x 9"H Little Giant in front box, stokes in rear box.	1
245	0004016		Rub Rail, Aluminum Extruded, Side of Body	1
246	0510626		Fender Crowns, Rear, S/S, Wider Than Std.	1
247	0024210		Storage Bin, Air Bottle Location, Bracket/comp. - Four wide by two high on transverse floor of LS9 and RS9 back to back - 16 total. Qty, Bottle Bin - 16	16
248	0004218		Ladder, 35' Duo-Safety 1200A 2-Sect Qty, - 02	2
249	0010406		Ladder, 28' Duo-Safety 1200A 2-Section Qty, - 02	2
250	0652176		Location, Extension Ladder - torque box Ladder, (2) 16' Duo-Safety 875-DR Roof	1

Line	Option	Type	Option Description	Qty
251	0652466		Ladder, 20' Duo-Safety 875-DR Roof Qty, - 01	1
252	0521218		Not Required, Attic Extension Ladder	1
253	0004246		Ladder, 10' Duo-Safety Folding, 585A Qty, - 01 Location, Folding Ladder Aerial - torque box	1
254	0626850	SP	Ladder Storage, Horizontally Hinged Lift Up Door, Painted, 130 Degrees, Tiller	1
255	0602100		Lights, Torque Box Ladder Storage, Pierce LED Strip Lights, 2 Lts	1
256	0653608		Ladder, Little Giant, Revolution XE - Model 17, 12017 Location - in 4-way compartment above LS2/RS2	1
257	0780977	SP	Flange, 4.00", Pike Pole Heads Interference Location - all with anti-migration lip for the trash hooks	1
258	0557255		Pike Pole, 6' Fire Hooks Unlimited, New York Roof Hook, Steel, Pry End, RH-6 Location - Above 16' roof ladders.	1
259	0069338		Qty, Pike Poles - 1 Pike Pole, 8' Nupla, Vent Hook, RH-8DA, w/D Handle Location - R1	1
260	0010656		Qty, Pike Poles - 1 Pike Pole, 6' Nupla, Roof Vent Hook RH-6DA, w/D Handle Location - Aerial, R1, ship two loose.	4
261	0004999		Qty, Pike Poles - 4 Pike Pole, 12' Nupla, Fiberglass, Featherlight, YPD-12	2
262	0594888		Qty, - 02 Pike Pole, 8' Nupla, Featherlight	2
263	0552649		Qty, - 02 Pike Pole, 6' Fire Hooks Unlimited, New York Roof Hook, Steel, Pry End, RH-6 Location - (2) in R1	2
264	0548410		Not Required, Pole, Pike, 3'	1
265	0770577		Pike Pole Tubes, in Torque Box/Ladder Storage, Aluminum Qty, - 06	6
266	0657484		Trough for D-Handled Pike Pole, Aluminum Location - Best location in torque box.	2
267	0058193		Qty, Pike Pole Tubes - 02 Tubes, Alum, Pike Pole Storage, Spcl Notch, NY PP Head Location - in the ladder storage compartment to hold all non D Handle New York style pike poles except (1) 6' pike which will ship loose	4
268	0004361		Qty, Pike Pole Tubes - 04 Tubes, Alum, Pike Pole Storage Location, Pike Pole Tube - Ladder Storage	2
269	0000458		Qty, Slideout Step - 2 Platform, Slide Out, 500 lb Capacity, Alum 4-Way Location, Additional Step - (1) under LS4 and (1) under RS4 to access stokes and ladder storage as needed	2
270	0045867		Light, Long Step - Amdor Lumabar H2O Not Required, Pump	1
271	0012216		No Seal/Packing Required	1
272	0012690		Not Required, Trans, Pump	1
273	0669703		Not Required, Pumping Mode	1
274	0024484		Not Required, Pump Shift	1
275	0046295		Transmission Lock-up, Not Req'd, NO PUMP	1
276	0046296		Not Required, Auxiliary Cooling System, NO PUMP	1
277	0046283		Not Required, Transfer Valve, NO PUMP	1
278	0024513		Not Required, Intake Relief Valve	1
279	0046403		No Relief Valve Req'd, No Pump	1
280	0012336		No Pump Primer Req'd	1
281	0012816		Not Required, Pump Manuals	1
282	0785387		Pump Test, Hercules Self Contained Foam System	1
283	0090789		Not Required, Plumbing, No Pump	1
284	0014625		No Main Inlet Required	1
285	0584002		Not Required, Cap, Main Pump Inlet, No Side Inlet Caps Required, No Pump	1
286	0089389		No Valves, (No Pump)	1

Line	Option	Type	Option Description	Qty
287	0055600		Not Required, Auxiliary Inlet, Left Side	1
288	0029147		Not Required, Inlet, Right Side	1
289	0681723		No Bleeder Valve, No Pump	1
290	0681730		Not Required, Tank to Pump, No Pump	1
291	0074900		Not Required, Tank Fill	1
292	0092570		Not Required, Outlets, Left Side Additional	1
293	0092571		Not Required, Outlets, Right Side Additional	1
294	0092572		Not Required, Outlet, Front	1
295	0092573		Not Required, Outlet, Hose Bed/Running Board Tray	1
296	0089391		Valve, Bleeder - None Req'd, (No Pump)	1
297	0035094		Not Required, Elbow, Left Side Outlets, Additional	1
298	0089584		Not Required, Elbow, Right Side Outlets, Additional	1
299	0089394		Not Required, Outlet Control, No Pump	1
300	0766774		Hercules CAFS, Hydraulic System Only, Special Location Of Power Unit Location 1 - LS8/RS8 Pump controls and fill to be located on DS.	1
301	0768911	SP	Hercules, 70 Gallon, Self Contained System, Tiller, (1) 6000PSI Bottle,Livermore	1
302	0779803		Demonstration, Hercules Self Contained Foam System, At Pierce Vehicle, Qty, Training, P - 1 vehicle	1
303	0043115		Not Required, Pump House, Tiller	1
304	0067658		Not Required, Step, Slide-Out Pump Op. Platform	1
305	0665700		Light, Slide-Out Pump Operator Step, Not Required	1
306	0005578		Panel, Pump Access - Right Side Only	1
307	0092531		Not Required, Pump House Structure	1
308	0001836		No Light, No Pump Compartment	1
309	0046400		Throttle, Engine Not Req'd, No Pump / Skid Pump	1
310	0035650		Not Required, Water Level Gauge	1
311	0606697		Air Horns, (2) Grover, In Bumper	1
312	0606834		Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6)	1
313	0046064		Control, Air Horn, Horn Ring Only	1
314	0533071		Siren, Wln 295SLSC1, w/Detachable Mic Cord	1
315	0015283		Location, Elect Siren Location - location #4 overhead	1
316	0076156		Control, Elec Siren, Head Only	1
317	0601302		Speaker, (1) Wln, SA315P, 100 watt Connection, Speaker - siren head	1
318	0601555		Location, Speaker, Frt Bumper, Recessed, Left Side, Outside Frame,Outbrd (Pos 7)	1
319	0016080		Siren, Federal Q2B	1
320	0677326		Siren, Mechanical, Recessed In Grille, AXT	1
321	0026161		Control, Mech Siren, DS Foot Sw	1
322	0566840		Grille, Speaker, Front Bumper, S/S, Federal Qty, - 1	1
323	0006086		Switch, Second Siren Brake	1
324	0777656	SP	Lightbar, Wln, Freedom IV-Q, 81", RRRRRRRROptBBBBBBBB Opticom Priority - b) High Opticom Activation - E-Master Momentary Opticom Activation - DS Switch Filter, Whl Freedom Ltbrs - No Filters	1
325	0540460		Light, Front Zone, Wln M6*C LED, Clear Lens, 4lts Q Bezel Color, Lt DS Frnt Outside - DS Front Outside Red Color, Lt PS Frnt Outside - PS Front Outside Red Color, Lt DS Front Inside - b) DS Front Inside Blue Color, Lt PS Front Inside - b) PS Front Inside Blue	1
326	0653937		Flasher, Headlight Alternating Headlt flash deactivation - a)w/high beam	1
327	0540692		Lights, Side Zone Lower, Wln M6*C LED, Clear Lens, 3pr, Ovr 25 Location, Lights Front Side - c)each side, front cab corner Color, Lt Side Front - Red Color, Lt Side Middle - Red Color, Lt Side Rear - Red Location, Lights Mid Side - Over Front Wheels Location, Lights Rear Side - Over Rear Wheels	1

Line	Option	Type	Option Description	Qty
328	0054724		Lights, Side, WIn Strip-Lite PS*00F*R LED, pair Location, Lights - in the rub rails centered under LS1, LS4, LS5/LS6, LS7/LS8, RS1, RS4, RS5/RS6, RS7/RS8, LS9, RS9 Qty, Lights, Pair - 5 Color, Lights, Warning - gla) red Control, Light - b) side warning Color, Lens, LED's - c)clear	5
329	0660724		Lights, Side, WIn RS*02ZCR, Horizontal, 2nd Location, Lights - one (1) each side mounted on the angled step area on the rear of the tractor cab, mounted as far to the outside as possible (same as 31549) Qty, - 02 Color, Lights, Warning - gla) red Control, Light - b) side warning	2
330	0564655		Lights, Rear Zone Lower, WIn M6*C LED, Clear Lens, For Tail Lt Housing Color, Lt DS Rear - r) DS Rear Lt Red Color, Lt PS Rear - r) PS Rear Lt Red	1
331	0540805		Lights, Rear, WIn M4*C LED, Clear Lens Location - (1) each side of tiller cab above rear window on each side of the Whelen pioneer light Color, Light - ae) red Qty, - 02 Control, Light - a) rear upper warning	2
332	0648410		Light, Rear Zone Upper, WIn Rota-Beam R316RF LED Beacon, Red LED, Clear Lens	1
333	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
334	0006646		Electrical System, 120/240VAC, General Design	1
335	0563275		Generator, Harrison 6kW MSV, Hydraulic, Hotshift PTO, Volt Meter Only Generator Interlocks - No Interlocks	1
336	0505796		Location, Hydraulic Generator Above Gooseneck of Tiller	1
337	0016752		Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl	1
338	0016757		Not Required, Remote Start, Generator	1
339	0016740		Not Required, Fuel System	1
340	0016767		Not Required, Oil Drain Extension, Generator	1
341	0016771		Not Required, Routing Exhaust, Generator	1
342	0036738		Circuit Breaker Panel, Included With PTO Generator Location, Circuit Breaker Panel - LS6, Left Wall High	1
343	0006825		Reel, Elect Cable, Hannay, 1600, (3) Wire Qty, Cord Reels - 2 Reel Guide - b) Captive roller Finish, Reel - Painted Gray Location, Electric Cord Reel - DS Gooseneck, Outboard, 1 Reel and PS Gooseneck, Outboard, 1 Reel	2
344	0006828		Cord, Electric, 10/3 Yellow, 3 Wire Lengths of Elect Cord - 2 Feet of Yellow Cord - e)200 Connection, Cord - Direct connection	2
345	0788933		Box, Junc, Akron, 3Wire, 2-15/20A 120V Dup SB, 2-20A 120V TL Qty, - 02 Connection, Electric Plug / Inlet (Male) - Direct Connection	2
346	0013949		Enclosure, Reel, with Reel Access Door Location - (1) over each cord reel on the trailer goose neck Qty, - 02	2
347	0006824		Holder, Junction Box, Tread Plate Aluminum Qty, - 02 Location, Junction Box Holder - Mount At Pick-Up	2
348	0779718		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 2nd, Interior Body Qty, - 01 Location 1 - LS5 front wall 26" above surface. AC Power Source - Shoreline Cover, Receptacle - Interior SS Wall plate	1
349	0777448		Receptacle Strip, 15A 120V 5-Place 90 Deg, Sentrex M5S, Surge Protection, Int Bd Qty, - 01 Location 1 - LS1 Front wall below air outlet.	1

Line	Option	Type	Option Description	Qty
349			AC Power Source - Shoreline	
350	0779701		Receptacle, 15/20A 120V 3-Pr 3-Wr SB Dup, 4 place, Interior Body	2
			Qty, - 02	
			Location 1 - (1) in LS6 on front wall just below frame rail height and (1) in RS6 on front wall just below frame rail height	
			AC Power Source - Shoreline	
351	0779722		Cover, Receptacle - Interior, Flip Up Duplex Cover(s)	
			Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body	1
			Qty, - 01	
			Location 1 - LS5 back wall 26" above surface.	
			AC Power Source - Shoreline	
			Cover, Receptacle - Interior SS Wall plate	
352	0519934		Not Required, Brand, Hydraulic Tool System	1
353	0649753		Not Required, PTO Driven Hydraulic Tool System	1
354	0649750		Not Required, Hydraulic Reels	1
355	0786790		Aerial, 107' ASL, Active Damping System. 750/500 Tip, 50 MPH Wind, Tiller	1
356	0762413		Light, Boom Support, Amdor AY-LB-12HW012, 12" LED	1
357	0663833		Boom Support, Raised, Tiller	1
			Boom Support - Compt on top of body	
358	0680821		Boom Panel, Pair	1
			Paint Color, Predefined - Yellow #419	
359	0526890		Not Required, Indicator, Extension	1
360	0591645		Steps, Folding, Four, Aerial Device, Trident	1
			Coating, Step - black	
361	0688232		Rung Covers, Aerial Device	1
			Rung Cover Color - Photoluminescent	
362	0786841		Brackets Only, Roof Ladder, Base Section, Inboard of Boom Panel	1
			Qty, - 01	
			Location, Aerial Device - right side	
			Roof Ladder, Make/Model, Multi-Select - 12' Duo-Safety 875-DR	
363	0676785		Bracket Only, Rubbish Hook, Aerial Fly Section	1
			Pike Pole Make/Model - Nupla 8' Rubbish Hook D Handle	
364	0780041	SP	Egress, Shortened, Ascendant Ladder	1
365	0642654		Scabbard, Temporary Vent Saw Storage, Aerial Ladder, Painted	2
			Qty, - 02	
			Fill in Blank - flared opening, with natural aluminum finish.	
			Location, Aerial Device - each side of aerial tip	
366	0601972		Lights, Turntable Walkway, P25, LED	1
367	0601949		Light, Turntable Console, TecNiq T-10, LED Strip Light	1
368	0682164		Cover, Treadplate, Around Aerial Rotation Bearing	1
369	0771409	SP	Hoist Rings, S/S, Forward Area of Turntable, Ascendant Tiller	1
370	0657520		Guard, Turntable Lighting	1
371	0662149		Indicator Alignment Arrows, Luminescent	1
372	0790401		Control Stations, ASL Tiller, MUX, Color Display	1
373	0610007		Remote Tip Controls, ASL	1
374	0789602		Stabilizers, ASL Tractor Drawn Steel Aerial, Split Pan, 17' Spread	1
			Material, Stabilizer Pad - Composite	
375	0530817		Aerial Stabilizer Pins	1
376	0779621		Doors, Stabilizer Control Box, Valve/Electrical Distribution Box, Tiller	1
			Hinge, Location - Forward	
			Latch, Stabilizer Door - SouthCo C2 Chrome Flush	
			Door, Material & Finish, Stabilizer - Brushed Stainless Steel	
			Door, Material & Finish, Access - aluminum treadplate	
			Latch, Door, Access - SouthCo C2 chrome flush	
377	0540495		Pads, Stabilizer, Modified to Slide On	1
			Stabilizer Pads, Modify - 2 stabilizers	
378	0786011		Hydraulic System, ASL Tiller	1
379	0786880		Swivels, D-Series w/Encoder, ASL-Tandem/Tiller, MUX (32 Collector Rings)	1
380	0709718		Electrical System, ASL Tiller	1
381	0605970		Lights, FRC SRA110* LED Trk Tip (PAL), 4lts	1
			Location, Sw, Arl DC Lts - m) 2 locations	
			Color, FRC/Rom Lt Housing - FRC White	

Line	Option	Type	Option Description	Qty
382	0540737		Lights, Stabilizer Warn (1) Set, WIn M6°C LED, Clear Lens Color, Lt Rr Stabilzr Pan - b) Pan Light Blue	1
383	0068703		Lights, Grote Supernova LED, Stabilizer Beam, (1) Set	1
384	0762390		Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED	1
385	0091927		AC Power To Aerial Tip, 20 Amp Household (PAL)	1
386	0594648		Intercom, 2-Way Fire Research ICA900 Hands Free	1
387	0540895		Not Required, Breathing Air to Tip, Aerial Ladder	1
388	0024742		Not Required, Mask, Breathing Air To Tip	1
389	0066919		Not Required, Raised Pedestal, Tiller/Mid Mount	1
390	0544198		Control, Air Horn, Red, at Turntable	1
391	0530828		Turntable Access, Chains	1
392	0763138	SP	Waterway, High Flow, ASL-Tiller, w/Shortened Front Body	1
393	0632855		Monitor, Akron 3480 StreamMaster II Electric w/Extended Vertical Travel Nozzle, Monitor 1 PAL - Akron 1578 Electric 1250 gpm	1
394	0542307		Remote Monitor Control @ Pump Panel, Aerial	1
395	0010758		Flow Meter, Waterway, PAL, 110' Ascendant, MUX	1
396	0512000		Inlet, Aerial Waterway, 4.00" Plumbing with 5.00" Inlet, Tiller	1
397	0673128		Quick-Lock Waterway Locking System, 100' HDL/MDL, 105' HDL, ASL	1
398	0013164		Elbow, Aerial Inlet, 5" FNST x 5" Storz w/Cap Location - On the waterway inlet. Qty, - 1	1
399	0767639		Waterway Shutoff Valve, Above Swivel, Akron 9333 Elec Controller Location, Valve Control - aerial turntable	1
400	0047897		Tools, Aerial	1
401	0559494		Manuals and Training, 3 Consecutive Days, Ascendant Ladder, PAL	1
402	0593195		Cab, Tiller	1
403	0636263		Light, Dome, FRP Dual LED 1lt Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	1
404	0032119		Heater, Tiller Cab, Tiller	1
405	0633050		Air Conditioner, Tiller Cab, Notched Cover, Tiller 2002	1
406	0695671		Seat, Tiller, Pierce PS6, Premium, Air Ride Hi-Back	1
407	0661495		Steps, Tiller Access, Narrow Rear	1
408	0036977		Tiller Warning Indicators w/Seatbelt Warn in Cab	1
409	0012207		Mirror, 6" Round Convex, Tiller Cab (PR)	1
410	0774864	SP	Air Conditioning Cover, w/ Knockouts	1
411	0632988		Mirror, Grote, 12" Round Convex, Tiller Body Location - (1) each side of body by boom support	1
412	0051052		Window Defrost Fans (2) Location - (1) each side of steering column	1
413	0615412	SP	Deflectors, Tiller Cab Air Vents, Angled Towards Windshield	1
414	0617295	SP	Latch, Thumb, To Hold Sunvisor in Up Position	1
415	0512533		Lights, Turn Signals Model 33 IPOS, Tiller Cab	1
416	0619239	SP	Door Stop, Rubber Bumper, With S/S Scuffplate Tiller Cab Doors	1
417	0780042	SP	Trailer, 3.00" Extended Gooseneck, Shorter Trailer, Single Axle, ASL Tiller	1
418	0090681		Walkway, Turntable to Body, Tiller	1
419	0052481		Axle, Tiller Trailer, Oshkosh TAK-4, Non Drive, 22,800#	1
420	0032125		Steering, Sheppard M110 w/tilt, TAK-4, Tiller Trailer	1
421	0652502		Brakes, Meritor, EX225, 17", Disc Plus, TAK-4, Tiller	1
422	0052483		Suspension, Tiller 2002, 22,800#	1
423	0037018		Tires, Goodyear, G296 MSA, 425/65R22.5 20 Ply (tiller)	1
424	0037030		Wheels, Alum. Alcoa, 22.50" x 12.25" (385/425), Tiller	1
425	0037050		Oil Seals, Tiller Axle	1
426	0007150		Bag of Nuts and Bolts Qty, Bag Nuts and Bolts - 1	1
427	0602507		NFPA Required Loose Equipment, Aerial, NFPA 2016, Provided by Fire Department	1
428	0057065		Mounting, Fire Extinguisher Location - Rear compartment between tow eyes, Qty, Bracket - 03	3

Line	Option	Type	Option Description	Qty
428			Fill in Blank - (2) water extinguishers and (1) 10A dry chem extinguisher - provided by FD. Dividers can be used instead of brackets if necessary.	
429	0602535		Extinguisher, Dry Chemical, Aerial NFPA 2016, Provided by Fire Department	1
430	0533277		Extinguisher, 2.5 Gal. Pressurized Water	2
			Qty, Extinguishers - 2	
431	0007482		Not Required, Crowbars	1
432	0007484		Not Required, Claw Tools	1
433	0602675		Axes, (2) Flathead, Aerial NFPA 2016, Provided by Fire Department	1
434	0602673		Axes, (3) Pickhead, Provided by Fire Department, Aerial NFPA 2016	1
435	0007494		Not Required, Sledgehammers	1
436	0559683		Paint, Two Tone, Cab, Special Paint Break at Roof, Custom Cab	1
			Paint, Color - CCFD Yellow #419	
			Paint Color, Upper Area - White #10	
437	0509328		Paint, Single Color, Tiller Cab	1
			Paint, Color - White #10	
438	0646901		Paint Chassis Frame Assy, With Liner, E-Coat, Standard	1
			Paint Color, Frame Assembly, Predefined - Standard Black	
439	0693797		No Paint Required, Aluminum Front Wheels	1
440	0693792		No Paint Required, Aluminum Rear Wheels	1
441	0783025	SP	Safe-Stride, Top Horizontal Surface of Tiller Rear Body Module	1
			Color, Safe-Stride - Black	
442	0007234		Compartment, Unpainted, D/A Finished	1
443	0790913		Aerial Ladder Paint, Tiller	1
			Paint Color, Aerial Device - White 10	
			Paint Color, Egress - #419 Yellow	
			Paint Color, Turntable - White 10	
			Paint Color, Boom Support - white 10	
			Paint Color, Cylinders - white 10	
			Paint Color, Aerial Torque Box - black 101	
			Paint Color, Aerial Stabilizers - black 101	
			Paint Color, Aerial Rotation Motor - Black	
			Paint Color, Aerial Control Console - white 10	
444	0544099		Reflective Band, 8"	1
			Color, Reflect Band - A - d) blue	
445	0007356		Reflective across Cab Face	1
446	0602007	SP	Stripe, Chevron, Rear, Reflective, Non-NFPA 2016 Colors, Tiller	1
			Color, Reflect Band - A - d) blue	
			Color, Reflect Band - B - r) yellow	
447	0598754		Stripe, Reflective/Diamond Grade, 4.00" on Stabilizers	1
			Color, Reflect Band - A - d) blue	
448	0065687		Stripe, Reflective, Cab Doors Interior	1
			Color, Reflective - d) blue	
449	0543998		Stripe, Reflective, Tillerman Doors Interior	1
			Color, Reflective - d) blue	
450	0027279		Stripe, Gold Leaf, Box, Boom Sign without Scrolls, Aerial	1
451	0027286		Not Required, Lettering Specs	1
452	0007472		[Lettering not Requested]	1
453	0769765		Lettering, Numerals, Grille, Painted w/ Outline (2)	1
454	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom	1
			Qty, - 01	
455	0772037		Manual, Chassis Service, USB Flash Drive, Custom	1
			Qty, - 01	
456	0531638		Manual, Two (2) CD, Chassis Operation, Custom	1
457	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
458	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
459	0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
460	0596017		Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
461	0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
462	0777368		Warranty, Axle, 2 Year, Meritor, General Service, WA0328	1
463	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
464	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
465	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1

Line	Option	Type	Option Description	Qty
466	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
467	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
468	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
469	0685945		Warranty, Transmission Cooler, WA0216	1
470	0033401		Not Required, Tank Warranty	1
471	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
472	0690936		Warranty, Roll up Doors, Not Required	1
473	0012599		Warranty, Pump, Not Required	1
474	0046370		Not Required, Warranty, No Plumbing	1
475	0006999		Warranty, Structure, 20 Year, Aerial Device, WA0052	1
476	0687388		Warranty, Swivels, 5 Year, Aerial Device, WA0197	1
477	0685727		Warranty, Hydraulic System and Components, 3 Year/5 Year, WA0200	1
478	0687327		Warranty, Waterway, 10 Year, Aerial Device, WA0198	1
479	0595860		Warranty, Paint, 4 Year, Aerial Device, Pro-Rated, WA0047	1
480	0609981		Warranty, Harrison Generator, 6 Year, WA0285	1
481	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
482	0593921		Not Required, Warranty, No Lettering	1
483	0683627		Certification, Vehicle Stability, CD0156	1
484	0794808		Certification, Engine Installation, Arrow XT, Cummins X15, 2017, CD0151	1
485	0686786		Certification, Power Steering, CD0098	1
486	0543934		Certification, Cab Integrity, AXT, CD0011	1
487	0548949		Certification, Cab Door Durability, AXT, CD0002	1
488	0548968		Certification, Windshield Wiper Durability, AXT, CD0006	1
489	0556828		Certification, Electric Window, Not Available	1
490	0549275		Certification, Seat Belt Anchors and Mounting, AXT, CD0019	1
491	0694929		Certification, Cab Heater and Defroster, AXT, CD0094	1
492	0609805		Certification, Cab Air Conditioning Performance, Arrow XT 2010, CD0140	1
493	0545073		Amp Draw Report, NFPA Current Edition	1
494	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
495	0799248		Appleton/Florida BTO	1
496	0000029		TILLER BODY	1
497	0000012		PIERCE CHASSIS	1
498	0004713		ENGINE, OTHER	1
499	0046396		EVS 4000 Series TRANSMISSION	1
500	0020037		NO PUMP	1
501	0020013		NO WATER TANK	1
502	0020007		AKRON VALVES	1
503	0020015		ABS SYSTEM	1
504	0658751		Manufacturing Attribute	1



Proposal Option List

10/30/2018

Customer: Carson City Fire Department
Representative Kowatch, Thom
Organization: Superior Equipment
Requirements Manager:
Description: Carson 2019 Duplicate Pumper
Body: Pumper, Medium, Aluminum, 2nd Gen
Chassis: Quantum Chassis, 2010

Bid Number: 257
Job Number:
Number of Units: 1
Bid Date: 11-14-2018
Stock Number:
Price Level: 37 (Current: 37)

Line	Option	Type	Option Description	Qty
1	0766611		Boiler Plates, Pumper Fire Department/Customer - Carson City Fire Department Operating/In conjunction W-Service Center - Operating Miles - 500 Miles Number of Fire Dept/Municipalities - 5 Bidder/Sales Organization - Superior Equipment Delivery - Delivery representative Dealership/Sales Organization, Service - Superior Equipment	1
2	0661794		Single Source Compliance	1
3	0584456		Manufacture Location, Appleton, Wisconsin	1
4	0584452		RFP Location: Appleton, Wisconsin	1
5	0588609		Vehicle Destination, US	1
6	0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
7	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
8	0588611		Vehicle Certification, Pumper	1
9	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
10	0000000	STF	Weekly Photo Reports PUMPER *****	1
11	0007289		Delivery Location - Carson City Fleet Shop Fill in Blank - TBD	1
12	0000114		Inspection Trip(s) Qty, - 02 Fill in Blank - Two from CCFD plus salesperson.	2
13	0620362		Consortium, HGAC	1
14	0537375		Unit of Measure, US Gallons	1
15	0529326		Bid Bond, 10%, Pierce Built Chassis	1
16	0582697		Performance Bond, 100 Percent w/Warranty Bond, 1 Yr, and Payment Bond Percentage, Contract - 100	1
17	0000007		Approval Drawing	1
18	0002928		Electrical Diagrams	1
19	0559980		Quantum Chassis, 2010	1
20	0000110		Wheelbase Wheelbase - 181.75	1
21	0000070		GVW Rating GVW rating - 48,500	1
22	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF	1
23	0020018		Frame Liner Not Req'd	1
24	0530446		Axle, Front, Meritor FL-943, 21,500#, w/assist, Qtm/AXT	1
25	0000549		Suspension, Front Spring, 21,500 lb, FL-943/MFS Axle/Dana	1
26	0000319		Shock Absorbers on Front Axle, Qtm/AXT/Imp/Vel	1
27	0000322		Oil Seals, Front Axle	1
28	0664500		Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply, Fire Service Speed Rtnng	1
29	0660547		Wheels, Front, Accuride, 22.50" x 12.25", Aluminum, Hub Pilot	1
30	0530472		Axle, Rear, Meritor RS26-185, 27,000 lb	1
31	0544253		Top Speed of Vehicle, 68 MPH	1
32	0515564		Suspen, Rear, Standens, Spring, 27,000 lb	1
33	0000485		Oil Seals, Rear Axle	1
34	0000580		Spring Package, Auxiliary	1
35	0677173		Tires, Rear, Goodyear, G291, 315/80R22.50, 20 ply, Single, Fire Service Spd Rtg	1
36	0654750		Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single	1
37	0568081		Tire Balancing, Counteract Beads	1

Line	Option	Type	Option Description	Qty
38	0602747		No Tire Pressure Indicator, Fire Department Omits, Non-NFPA 2016 Compliant	1
39	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
40	0001960		Axle Hub Covers, Rear, S/S, High Hat (Pair)	1
41	0002000		Chains, Onspot, Automatic Tire, Custom	1
42	0052332		Covers, Lug Nut, Stainless Steel	1
43	0544802		Chocks, Wheel, SAC-44-E, Folding	1
			Qty, Pair - 01	
44	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Tire, Forward, D3	
45	0010670		ABS Wabco Brake System, Single rear axle	1
46	0508676		Brakes, Meritor, EX225, 17", Disc Plus, Front	1
47	0509206		Brakes, Meritor, EX225, Disc Plus, Rear, Single Axle	1
48	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
49	0000785		Brake Reservoirs, Three	1
50	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
51	0000790		Brake Lines, Nylon	1
52	0000855		Air Inlet, w/Disconnect Coupling, Quantum	1
			Location, Air Coupling(s) - aa) DS Cab Corner	
			Qty, Air Coupling (s) - 1	
53	0764547		Engine, Cummins X12, 500 hp, 1695 lb-ft, W/OBD, EPA 2018, Qtm	1
54	0001244		High Idle w/Electronic Engine, Custom	1
55	0687994		Engine Brake, Jacobs Compression Brake, Cummins Engine	1
			Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo	
56	0691245		Air Intake, w/Ember separator, Qtm 2010	1
			Finish, Air Intake Grille - Bright Finish	
57	0794743		Exhaust System, 5", X12/X15 Engine, Horizontal, Right Side	1
58	0584204		Radiator, Quantum 2010	1
59	0001090		Cooling Hoses, Rubber	1
60	0001125		Fuel Tank, 65 Gallon, Left Side Fill	1
61	0001129		Lines, Fuel	1
62	0595087		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle	1
			Door, Material & Finish, DEF Tank - Polished Stainless	
63	0552793		Not Required, Fuel Priming Pump	1
64	0552712		Not Required, Shutoff Valve, Fuel Line	1
65	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
66	0578959		Fuel/Water Separator, Racor Inline	1
67	0642580		Trans, Allison 5th Gen, 4000 EVS P, w/Prognostics, Quantum	1
68	0625331		Transmission, Shifter, 6-Spd, Push Button, 4000 EVS	1
69	0684459		Transmission Oil Cooler, Modine, External	1
70	0001375		Driveline, Spicer 1810	1
71	0562365		Joints, Universal, Half Round	1
72	0669989		Steering, Ross TAS-85 w/tilt, Eaton Pump, w/ Cooler	1
73	0001545		Steering Assist Cylinder on Front Axle	1
74	0509230		Steering Wheel, 4 Spoke without Controls	1
75	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - (BLANK) NO TEXT	
			Text, Row (2) Two - CARSON CITY	
			Text, Row (3) Three - FIRE DEPT.	
76	0596518		Mud Flaps, Front	1
77	0550058		Bumper, 19" Extended, Quantum	1
78	0640197		Tray, Hose, Center, 19" Bumper, Outside Air Horns	1
			Grating, Bumper extension - Grating, Rubber	
			Capacity, Bumper Tray - 20) 125' of 1.75"	
79	0630809		Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray, Notched	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
80	0002270		Tow Hooks, Chrome	1
81	0559725		Cab, Quantum, 2010, 6700	1
82	0677477		Rear Wall, Exterior, Cab, Brushed Stainless Steel	1
83	0598633		Cab Lift, Quantum, 2010, Body, Manual Back-Up, No Remote	1
84	0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	1
			Material Trim/Scuffplate - c) S/S, Polished	

Line	Option	Type	Option Description	Qty
85	0087357		Molding, Chrome on Side of Cab	1
86	0521669		Mirrors, Retractable, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex	1
87	0599728		Door, Half-Height, Quantum 4-Door Cab, Flat Roof	1
88	0655496		Door Panel, Brushed Stainless Steel, Quantum 4-Door Cab	1
89	0528958		Not Required, Controls, Electric Window, AXT, Quantum, Saber, Enforcer, Dash CF	1
90	0677758	SP	Steps, 4-Door Cab, Fixed, Quantum 2010	1
91	0770194		Handrail, Exterior, Knurled, Alum, 4-Door Cab	1
92	0598728		Not Required, Fixed Steps	1
93	0650036		Not Req'd, Lights, Cab Access Steps, Included With Cab Perimeter Lights, Qtm	1
94	0002140		Fenders, S/S on Cab	1
95	0002066		Window, Side of Crew Cab, Fixed, Quantum-S	1
96	0012094		Windows, Delete Rear of Crew Cab	1
97	0606282		Shelf, Equipment Mounting, Aluminum, Lip, Size Location - One on each side of the forward facing EMS cabinet to extend to the outer walls of the cab (DS/PS). Height of shelves shall allow for 45" of free space below. See drawing. Qty, - 02 Size - 8" deep (drawing shows 7" and customer requests 8"). Workflow 211-EP5078932-9 Material Finish, Cab Interior - Painted Lip - 2.00"	2
98	0002277		Cab Interior, Vinyl, Quantum, CARE Color, Cab Interior Vinyl/Fabric - b) Light Gray	1
99	0012430		Cab Interior, paint color Color, Cab Interior Paint - i) fire smoke gray	1
100	0002068		Floor, Quantum Cab, Rubber Matting	1
101	0002288		Heater/defroster, Quantum	1
102	0012301		Heater, Between crew rear facing seats, Qtm-S	1
103	0690000		Air Conditioning, 2010 Quantum, Non-Raised Roof Paint Color, A/C Condenser - Painted by OEM	1
104	0597302		Sun Visor, Smoked Lexan, Qtm Sun Visor Retention - Polished S/S Bracket	1
105	0512738		Grab Handles, Driver Side Low & Officer's Side Low, QTM	1
106	0583938		Lights, Engine Compt, Custom, Auto Sw, WIn 3SC0CDCR, 3" LED, Trim Qty, - 01	1
107	0583042		Side Roll and Frontal Impact Protection	1
108	0622619		Seating Capacity, 4 Seats	1
109	0697005		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety	1
110	0696988		Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Safety, Qtm 2010	1
111	0002517		Not Required, Radio Compartment	1
112	0122183		Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, SCBA, Safety	1
113	0102783		Not Required, Seat, Rr Facing C/C, Center	1
114	0122186		Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, SCBA, Safety	1
115	0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	1
116	0777046		Cabinet, Forward Facing, Center, 38 W x 50 H x 22.50 D, Roll, Qtm Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (0) None Door, Cab Interior Cabinet - Rollup, Amdor, White, Non-Locking Light, Tall Cabinet - Amdor, Interior, White, Left Side and Amdor, Interior, White, Right Side Louvers, Cabinet - 0-No Louvers	1
117	0108190		Not Required, Seat, Forward Facing C/C, PS Outboard	1
118	0553149		Not Required, Change Rear Facing Center Seat Positions	1
119	0617407		Matting, Turtle Tile, EMS Compt, 0.75" Thick Location - one for each EMS Cabinet shelf. Qty, - 04 Color - 1) black	4
120	0042264		Shelf, Adjustable, EMS Compt, 1.25" Lip Qty, Shelf - 04 Location, Shelf, EMS - (4) Ctr Fwd Fcng Cabinet	4
121	0566653		Upholstery, Seats In Cab, Turnout Tuff Color, Cab Interior Vinyl/Fabric - m) Gray	1

Line	Option	Type	Option Description	Qty
122	0511471		No SCBA Brackets Required In Cab Seats, Imp/Vel, AXT 2010, Qtm 2010, Dash CF	1
123	0603867		Seat Belt, ReadyReach	1
			Seat Belt Color - Red	
124	0708700		Seat Belt Height Adjustment, QTM	1
125	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1
126	0647647		Lights, Dome, FRP Dual LED 4 Lts	1
			Color, Dome Lt - Red & White	
			Color, Dome Lt Bzl - Black	
			Control, Dome Lt White - Door Switches and Lens Switch	
			Control, Dome Lt Color - Lens Switch	
127	0628472		Light, Map, Overhead, Peterson M371S LED, Rectangular w/Switch 2lts	1
			12vdc power from - Battery switched	
128	0515337		Spotlight, Jabsco, 60020-0000, 135SL Remote Controlled, Cab On ZBrkt	1
			Location - Centered over the lightbar	
			Location, Spotlight Contr - o)within reach of the officer	
129	0599588		Handlts, (4) Streamlight, Survivor C4 LED, 12v, Yellow, 90513, Steady Charge	1
			Location, Lights - Rechargeable lights mounted within reach of each seated position.	
130	0579899		Cab Instruments, Ivory Gauges, Black Bezels, D Series, Qtm 2010	1
131	0002544		Air Restriction Indicator - Pierce Chassis	1
132	0543751		Light, Do Not Move Apparatus	1
			Alarm, Do Not Move Truck - Pulsing Alarm	
133	0509042		Messages, Open Door/Do Not Move Truck, MUX w/Color Display	1
134	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX	1
			Location, Emerg Sw Pnls - Driver's Side Overhead	
135	0548004		Wiring, Spare, 15 A 12V DC 1st	2
			Qty, - 02	
			12vdc power from - Battery direct	
			Wire termination - 15 amp power point plug	
			Location, Spare Wiring - Officer Dash	
136	0797189		Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st	5
			Qty, - 05	
			12vdc power from - Battery direct	
			Location - See drawing #s 1243577 (intercom) and 60-2309sh20 (layout instrument panel)	
137	0613326		Vehicle Information Center, 7" Color Display, Touchscreen, MUX, Quantum	1
			System Of Measurement - US Customary	
138	0606249		Vehicle Data Recorder w/CZ and Overhead Display Seat Belt Monitor	1
139	0790651	SP	Intercom, Setcom 950, 4-Pos, 2-Radio, (D, O), RPTT, 2C	1
			Location - see intercom layout location - Centered between driver and officer overhead on ceiling	
			Location, Intercom, C Cab - 2) 2 rearward facing seats	
140	0793667		Cable, Radio to Intercom Interface, Setcom 950, 1 Radio	1
			Radio, First Two-Way Model - Motorola APX6500	
			Radio, First Two-Way Make - Motorola Mid Power	
141	0620281		Headset, Setcom, CSB-901R-1 Under Helmet, Intercom Only, Right Cord, Gel	1
			Qty, - 01	
			Location - see intercom layout location I	
142	0620275		Headset, Setcom, CSB-901L-1 Under Helmet, Intercom Only, Left Cord, Gel	1
			Qty, - 01	
			Location - see intercom layout location K	
143	0620273		Headset, Setcom, CSB-900L-1 Under Helmet, Radio Transmit, Left Cord, Gel	1
			Qty, - 01	
			Location - See intercom layout location B	
144	0619798		Headset, Setcom, CSB-900R-1 Under Helmet, Radio Transmit, Right Cord, Gel	1
			Qty, - 01	
			Location - See intercom layout location A	
145	0681408		Hangers For Headsets, NFPA, Each	4
			Qty, - 04	
			Location, Headset Hangers - Driver Seat, Officer Seat, DS Outbrd, Rear Fcng Seat and PS Outbrd, Rear Fcng Seat	
146	0616382		Install Customer Provided GPS/Multimode Antenna(s)	1
			Qty, - 01	

Line	Option	Type	Option Description	Qty
147	0663968		Install Customer Provided Drug Vault, Knox Model #2 With WiFi, in Cab Location - Top shelf of EMS compartment in cab towards officer side of apparatus. Qty, - 01	1
148	0559503		Install Customer Provided Portable Radio Charger(s) Location - Near location B on the dog house. In front of location D see drawing (60-2309SH20). Within reach of rear facing FF close to locations I and K. Qty, - 04	4
149	0562774		Install Customer Provided Thermal Camera(s), Charger Only Location - Overhead within reach of the officer above location D. Qty, - 01	1
150	0559156		Install Customer Provided Two-Way Radio(s) Location - Officers dash see drawing 1243577 and 60-2309SH20 Qty, - 01	1
151	0640003		Install Customer Provided Modem Location - Overhead location #4 Qty, - 01	1
152	0696439		Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area Qty, - 01	1
153	0653526		Camera, Pierce, Driver Mux, Rear Camera Only Camera System Audio - Not Provided	1
154	0523921		Recess, Rear Vision Camera Location, Camera, Recessed - Center Rear	1
155	0615103		Pierce Command Zone, Advanced Electronics & Control System, Diag LEDs, Qtm, WiFi	1
156	0624257		Electrical System, Quantum	1
157	0079166		Batteries, (4) Exide Grp 31, 950 CCA ea, Threaded Stud	1
158	0008621		Battery System, Single Start, All Custom Chassis	1
159	0042699		Battery Compartment, QX	1
160	0579436		Charger, Sngl Sys, Kussmaul, 1200, 091-187-12-Remote, 40 Amp	1
161	0012782		Location, Charger, Front Left Side Body Compartment Location, Battery Chrgr/Cmpr - High On Left Wall	1
162	0530949		Location, Bat Chrg Ind, Driver's Seat Riser	1
163	0016857		Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super Qty, - 01 Color, Kussmaul Cover - d) yellow Shoreline Connection - Battery Charger	1
164	0026800		Shoreline Location Location, Shoreline(s) - DS Extd Bumper	1
165	0647728		Alternator, 430 amp, Delco Remy 55SI	1
166	0075020		Load Manager/Sequencer, QX Enable/Disable Hi-Idle - e)High Idle enable	1
167	0613545		Headlights, Round LED, JW Speaker, 8630 Evolution, Polycarbonate Lens, Qtm	1
168	0648425		Light, Directional, WIn 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF Color, Lens, LED's - c)clear	1
169	0620054		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
170	0648051		Lights, Clearance/Marker/ID, Front, Grote 47063 LED 5 Lts, Qtm	1
171	0647903		Lights, Directional/Marker, Cab Front Side, Truck-Lite 19036Y LED, Qtm	1
172	0627282		Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts	1
173	0564683		Lights, Tail, WIn M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg Color, Lens - Clear	1
174	0561471		Lights, Backup, WIn M6BUW, LED, For Tail Lt Housing	1
175	0664481		Bracket, License Plate & Light, P25 LED	1
176	0556842		Bezels, WIn, (2) M6 Chrome Pierce, For mtg (4) WIn M6 lights	1
177	0589905		Alarm, Back-up Warning, PRECO 1040	1
178	0056200		Mounting, Light, Recess (each) Location - Both lights recessed on the DS and PS upper rear bulkheads. Qty, - 04	4
179	0543513		Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Qtm Z location -	1
180	0617866		Lights, Perimeter Pump House, Truck-Lite 6060C LED 2lts	1

Line	Option	Type	Option Description	Qty
181	0683575		Lights, Perimeter Body, Truck-Lite 6060C LED 2ts, Rear Step Control, Perimeter Lts - Parking Brake Applied	1
182	0556360		Lights, Step, P25 LED 4lts, Pump Pnl Sw	1
183	0698589		Lights, Side Scene, Wln M9LZC Gradient LED 1st Qty, - 02 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Location, Scene Lights - DS Rear Of Cab Door (FR Cab & Qtm Only) 1lt and DS Body, Center, 1lt	2
184	0698585		Lights, Side Scene, Wln M9LZC Gradient LED 2nd Location, Lights - PS Body, Center, 1lt and PS Rear Of Cab Doors 1lt Qty, - 02 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control	2
185	0776357		Light, Visor, Wln, 12V P*H2* Pioneer, Cnt Feature, 1st Qty, - 01 Location, driver's/passenger's/center - Centered Color, Wln Lt Housing - White Paint Control, Scene Lts - Cab Sw Panel DS Scene Light Optics - Flood/Spot	1
186	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
187	0645877		Lights, Hose Bed, Sides, Dual LED Light Strips Control, Hose Bed Lts - Auto Cover Sw	1
188	0645682		Lights, Rear Scene, Wln, M9LZC LED, 30" - 102" High Control, Rear Scene Lts - Cab Switch Panel DS	1
189	0709438		Light, Walking Surf, FRP Flood, LED	1
190	0060115		Pumper, Medium, Aluminum, 2nd Gen	1
191	0554272		Body Skirt Height, 22", Quantum	1
192	0028245		Tank, Water, 750 Gallon, Poly, Med	1
193	0003405		Overflow, 4.00" Water Tank, Poly	1
194	0028104		Foam Cell Required	1
195	0024432		Modified Poly Tank for Single Full Depth Compt Qty, - 1	1
196	0633066		Sleeve through Tank Qty, Sleeve - 1 Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing	1
197	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
198	0003429		Not Required, Direct Tank Fill	1
199	0003424		Not Required, Dump Valve	1
200	0048710		Not Required, Jet Assist	1
201	0030007		Not Required, Dump Valve Chute	1
202	0514778		Not Required, Switch, Tank Dump Master	1
203	0126633		Hose Bed, Aluminum, Pumper	1
204	0003482		Hose Bed Capacity, Additional Capacity, Hosebed - 800'-5", 600'-2.50", 400'-1.75", 200'-1.5" in poly tray, 200' of 1.5" in poly tray (400' total of 1.5" in two separate removable trays). 1 shelf above the trays to store two 100' 1.75" hose bundles. Described from Right-Left.	1
205	0003488		Divider, Hose Bed, Unpainted Qty, Hosebed Dividers - 3	3
206	0010133		Cross-Divider, Hose Bed	1
207	0097956		Hose Tray, Poly, Removable, Hose Bed, Deluxe Location - Left side of hose bed next to the other poly tray with removable shelf above for storage. Qty, - 02 Size - Must hold 200'-1.5" hose with nozzle in each tray. Two trays total.	2
208	0078606	SP	Removable Shelf In Hose Bed w/stops, Divider, Reno Fill in Blank - One removable flat shelf above the poly trays attached to an adjustable hosebed divider. Located on driver's side. Location, driver's/passenger's/center - Driver's	1

Line	Option	Type	Option Description	Qty
209	0653470		Side Sheet, Special Height Size - sized to match the cab	1
210	0530804		Cover, Hose Bed, Alum Treadplate	1
211	0505155		Flap, Rear of Alum Hose Bed Cover, Two Piece, Vinyl Color, Vinyl Cover - c) black	1
212	0695399		Running Boards, 14.75" Deep, Front and Rear 45 Degree Corners	1
213	0689621		Tailboard, 16" Deep	1
214	0690037		Wall, Rear, Smooth Aluminum/Body Material Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate	1
215	0003531		Tow Bar, Under Tailboard	1
216	0590926		Hose Restraint, Running Board, Velcro Straps Location, Hose Tray, Running Board - a) both sides Qty, Tray, Hose - 2	2
217	0682569	SP	Tray, Hose, Running Board, Free Floating, Special Capacity, Forward Tapered Location, Hose Tray, Running Board - a) both sides Qty, Tray, Hose - 2 Capacity, Hose Tray - 28' of 5" with Storz couplings	2
218	0003561		Construction, Compt, Alum, Pumper	1
219	0063100		LS 152" Lap, Full Height & Depth Front, Full Height Rear, FDLER	1
220	0063624		RS 152" Lap, Full Height Front & Rear, FDLER	1
221	0063911		Doors, Lap w/ "D" Handles - Side Compartments	1
222	0083701		Compt, Rear, Rollup, 44.50" FF	1
223	0594003		Door, Amdor, Rollup, Rear Compartment Color, Roll-up Door - AMDOR Satin Aluminum Latch, Roll-up Door - Non-Locking Liftbar	1
224	0554995		No Body Modification Required	1
225	0625184		Guard, Drip Pan, S/S, Rollup Door, Pumper Qty, Door Accessory - 01 Location, Door Guard/Drip Pan - R1	1
226	0003919		Reverse Hinge Compartment Door Qty, Door Accessory - 01 Location, Door Accessory - Location, Door Accessory -- Left Front Compartment	1
227	0616670		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker Qty, - 07 Location, Compartment Lights - All Body Compts	7
228	0687146		Shelf Tracks, Painted Qty, Shelf Track - 07 Location, Shelf Track - D3, D2, D1, P1, P3, P1 Upper and D3 Upper	7
229	0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations Qty, Shelf - 07 Material Finish, Shelf - Painted - Spatter Gray Location, Shelves/Trays, Predefined - D1-At Transition Point, D3-Upper Third, P1-At Transition Point, P1-Upper Third, D2-Centered Floor to Ceiling, D3 -Upper Third - 2nd and P3-On Hyd Ladder Actuator Cover - Full Depth Sect	7
230	0647091		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides Qty, - 02 Location, Tray Slide-Out, Floor Mounted - P1 and R1 Material Finish, Tray - Painted - Spatter Gray	2
231	0540317		Toolboard, Swing-out, Alum, .188", Peg Board Qty - 1 Location, Pivot - Front Mounting, Toolboard - Stationary Finish, Pegboard/Toolboard - Painted - Spatter Gray Location, Toolboard - P2	1
232	0024016		Rub Rail, Aluminum Extruded, Side & Rear of Body	1
233	0784811		Fender Crowns, Rear, Stainless, w/Removable Liner Material Finish, Fender Liner - Brushed Stainless	1
234	0519849		Not Required, Hose, Hard Suction	1
235	0626229		Handrails, Side Pump Panels, Per Print	1
236	0004126		Handrails, Beavertail, Standard	1
237	0004146		Handrail, Rear, Below Hose Bed, Full Width	1

Line	Option	Type	Option Description	Qty
238	0657651		Compt, Air Bottle, Double, Full Width Door, Fender Panel Qty, Air Bottle Comp - 2 Door Finish, Fender Compt - Polished Location, Fender Compt - Double - DS Fwd and Double - PS Fwd Latch, Air Bottle Compt - Southco C2, Chrome, Non-Locking Insert, Air Bottle Compt - Rubber Matting	2
239	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
240	0004230		Ladder, 14' Duo-Safety 775A Roof	1
241	0015036		Rack, Ladders, Hydraulic, Right Side, Air Clamps Ladder Rack Lock Enclosure/Light Mounting Bracket - PS Rear S/S Enclosure	1
242	0014245		Ladder, 10' Duo-Safety Folding 585A, w/Mounting Location, Folding Ladder - Hydraulic Rack - Outboard	1
243	0024499		Arm, Rear, Offset, Hydraulic Rack 2000, Recess Light	1
244	0049512		Cover, S/S, Over Ladder Rack Air Locks, Pair Finish - Polished	1
245	0602877		Pike Pole, Pumper, Provided by Fire Department, NFPA 2016 Pike Pole Make/Model - Duo-Safety 10' Pike Pole	1
246	0602875		Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016 Pike Pole Make/Model - Duo-Safety 6' Pike Pole	1
247	0004361		Tubes, Alum, Pike Pole Storage Qty, Pike Pole Tubes - 02 Location, Pike Pole Tube - Hyd Ladder Rack	2
248	0785102		Steps, Folding, Front of Body, Cargo Bed Access, w/LED, Trident Coating, Step - luminescent Location, Steps - Full Height Left, One (1) Right Side w/LED Light	1
249	0592994		Steps, Folding, Rear of Body, w/LED, Trident Coating, Step - luminescent	1
250	0083525		Step, Not Req'd, Qtm	1
251	0014387		Step, Corner Step - Extra Location, Additional Step - Corner step in cargo area per workflow message by Luke Steckel. Qty, Corner Steps - 1	1
252	0004425		Pump, Waterous, CSU, 1500 GPM, Single Stage	1
253	0004481		Seal, Grafoil, Waterous	1
254	0559769		Trans, Pump, Waterous C20 Series	1
255	0635600		Pumping Mode, Stationary Only	1
256	0605126		Pump Shift, Air w/Manual Override, Split Shaft, Interlocked, Waterous	1
257	0003148		Transmission Lock-up, EVS	1
258	0004547		Auxiliary Cooling System	1
259	0014486		Not Required, Transfer Valve, Stage Pump	1
260	0004513		Valve, Relief Intake, Waterous, Set @ 125 PSI	1
261	0536322		Controller, Pressure, Pierce, Custom Chassis	1
262	0072153		Primer, Trident, Air Prime, Air Operated	1
263	0780364		Manuals, Pump, (2) Total, Electronic Copies	1
264	0602512		Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone	1
265	0795135		Plumbing, Stainless Steel, w/Foam System	1
266	0004645		Inlets, 6.00" - 1250 GPM or Larger Pump	1
267	0699096		Not Required, Cap, Main Pump Inlet, Included w/Storz Adapter	1
268	0770450	SP	Valve, Piston Intake w/Relief, Harrington H500S-50-60NH, 5" Stz x 6" FNST-S, Man Location - One valve per side. Qty - 2	2
269	0014650		Short Suction Tube, Both Sides	1
270	0084610		Valves, Akron 8000 series- All	1
271	0004660		Inlet, Left Side, 2.50"	1
272	0004680		Inlet, Right Side, 2.50"	1
273	0016158		Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone" Qty, Inlets - 2	2
274	0004700		Control, Inlet, at Valve	1
275	0092569		No Rear Inlet (Large Dia) Requested	1
276	0092696		Not Required, Cap, Rear Inlet	1

Line	Option	Type	Option Description	Qty
277	0064116		No Rear Inlet Actuation Required	1
278	0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
279	0092568		No Rear Auxiliary Inlet Requested	1
280	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
281	0029043		Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing	1
282	0004905		Outlet, Tank Fill, 1.50"	1
283	0004940		Outlet, Left Side, 2.50"	2
			Qty, Discharges - 02	
284	0092570		Not Required, Outlets, Left Side Additional	1
285	0004945		Outlet, Right Side, 2.50"	1
			Qty, Discharges - 01	
286	0092571		Not Required, Outlets, Right Side Additional	1
287	0005047		Outlet, 4" w/4" Right, Handwheel	1
			Valve, Brand - Akron	
288	0649939		Outlet, Front, 1.50" w/2" Plumbing	1
			Fitting, Outlet - 1.50" NST with 90 degree swivel	
			Drain, Front Outlet - Automatic	
			Location, Front, Single - top of right bumper	
289	0004995		Outlet, Rear, 2.50"	1
			Qty, Discharges - 01	
			Location, Outlet - b) driver's side	
290	0092574		Not Required, Outlet, Rear, Additional	1
291	0092573		Not Required, Outlet, Hose Bed/Running Board Tray	1
292	0085076		Caps for 1.50" to 3.00" Discharge, VLH	1
293	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
294	0005091		Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
295	0035094		Not Required, Elbow, Left Side Outlets, Additional	1
296	0025091		Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
297	0089584		Not Required, Elbow, Right Side Outlets, Additional	1
298	0045091		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
299	0085695		Not Required, Elbow, Rear Outlets, Large, Additional	1
300	0005097		Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz	1
			Qty, - 01	
301	0062133		Control, Outlets, Manual, Pierce HW if applicable	1
302	0005065		Outlet, 3.00" Deluge Riser	1
303	0543547		Monitor, Akron 3416, 5" Storz Inlet	1
			Monitor Finish - Painted by OEM	
304	0501504		Nozzle, Akron 2499, Quad Tips, 3488 and 5160 Manual Fog	1
305	0005070		Deluge Mount, NPT	1
306	0029210		Crosslays Sngl Sheet, (2+) 1.50", Spl. Cap/Arrangement	2
			Capacity, Special Xlay - Both crosslay dividers to be 28" tall and each to hold 200' of 1.75" double jacket hose, double stacked. Height of crosslay dividers to match top of deluge/dunnage area above pump house. Total front to rear for all 3 crosslays to be 22" if possible.	
			Qty, Crosslays - 2	
307	0558463		Crosslay, 2.50", Special Cap or Single Stack	1
			Capacity, Special Xlay - Crosslay divider to be 28" tall and to hold 200' of 2.5" double jacket hose single stacked. Height of crosslay dividers to match top of deluge/dunnage area above pump house. Total front to rear for all 3 crosslays to be 22" if possible.	
			Qty, Crosslays - 1	
308	0029260		Not Required, Speedlays	1
309	0591138		Hose Restraint, Crosslay/Deadlay, Vinyl, Strap Fasteners, Each Side, Ends	3
			Color, Vinyl Cover - c) black	
			Qty, - 03	
			Type of fastener - spring clip and hook	
			Restraint Location - Bottom (towards the ground)	
310	0615255		Cover, Crosslay, 3/16" Alum Treadplate, Front Hinge	1
			Stay arm, Tray Cover - f) Rubber Latch	
311	0624939		Foam Sys, Husky 3, Single Agent, Multi Select Feature	1
			Discharge, Foam Locations - Front Bumper Center, Rear Outlet Left Side, Crosslay Front, Crosslay Center, Crosslay Rear and Left Side Outlet	

Line	Option	Type	Option Description	Qty
311			Discharge, Foam Locations - Front Bumper Center, Rear Outlet Left Side, Crosslay Front, Crosslay Center, Crosslay Rear and Left Side Outlet	
312	0012126		Not Required, CAF Compressor	1
313	0592527		Refill, Foam Tank, Integral, Husky 3	1
314	0031896		Demonstration, Foam System, Dealer Provided	1
315	0085446		Foam Cell, 25 Gallon, Not Reduce Water	1
			Type of Foam - Class "A"	
316	0697589		Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn	1
317	0091079		Not Required, Foam Tank #2	1
318	0091112		Not Required, Foam Tank #2 Drain	1
319	0007545		Pump House, Side Control, 45", Control Zone	1
320	0594577		Pump Panel Configuration, Match Previous Unit, as Close as Possible	1
			Fill in Blank - See job # 18853 2007 Quantum pumper Carson City FD Nevada	
321	0635355		Material, Pump Panels, Side Control Painted FormCoat Black	1
			Material Finish, Pump Panel, Side Control - Painted FormCoat Black	
			Material, Pump Panel, Side Control - Aluminum	
322	0005578		Panel, Pump Access - Right Side Only	1
323	0035501		Pump House Structure, Std Height	1
324	0583824		Light, Pump Compt, WIn 3SC0CDCR LED White	1
			Qty, - 01	
325	0586382		Gauges, Engine, Included With Pressure Controller	1
326	0005601		Throttle Included w/ Pressure Controller	1
327	0549333		Indicators, Engine, Included with Pressure Controller	1
328	0005780		Control, Air Horn At Pump Panel w/Button	1
329	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
330	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
331	0536428		Gauge, Water Level, Pierce, In pressure Controller	1
332	0060753		Water Level Gauge, WIn PSTANK, LED 1-Light, 4-Level	2
			Qty, - 02	
			Activation, Water Level G - pg) pump in gear	
			Location, Water Level Gauge - Each Side Custom Cab	
333	0062992		Gauge, Foam Level, (1) Tank, Class 1, 5lt	1
334	0593161		Light Shield, S/S LED	1
335	0682488		Light Shield, S/S, PS LED	1
336	0606697		Air Horns, (2) Grover, In Bumper	1
337	0606835		Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)	1
338	0046064		Control, Air Horn, Horn Ring Only	1
339	0525667		Siren, WIn 295SLSA1, 100 or 200 Watt	1
340	0510206		Location, Elect Siren, Recessed Overhead In Console	1
			Location, Elec Siren - Overhead, DS Inside Sw Pnl	
341	0076156		Control, Elec Siren, Head Only	1
342	0601306		Speaker, (1) WIn, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt	1
			Connection, Speaker - siren head	
343	0601565		Location, Speaker, Frt Bumper, Recessed, Center (Pos 4)	1
344	0016080		Siren, Federal Q2B	1
345	0006095		Siren, Mechanical, Mounted Above Deckplate	1
			Location, Siren, Mech - a) Left	
346	0026161		Control, Mech Siren, DS Foot Sw	1
347	0777656	SP	Lightbar, WIn, Freedom IV-Q, 81", RRRRRRRROptBBBBBBBB	1
			Opticom Priority - b) High	
			Opticom Activation - E-Master	
			Momentary Opticom Activation - DS Switch	
			Filter, Whl Freedom Ltbrs - No Filters	
348	0540460		Light, Front Zone, WIn M6*C LED, Clear Lens, 4lts Q Bezel	1
			Color, Lt DS Frnt Outside - DS Front Outside Red	
			Color, Lt PS Frnt Outside - PS Front Outside Red	
			Color, Lt DS Frnt Inside - b) DS Front Inside Blue	
			Color, Lt PS Frnt Inside - b) PS Front Inside Blue	
349	0653937		Flasher, Headlight Alternating	1
			Headlt flash deactivation - a)w/high beam	

Line	Option	Type	Option Description	Qty
350	0540692		Lights, Side Zone Lower, WIn M6*C LED, Clear Lens, 3pr, Ovr 25 Location, Lights Front Side - b)each side bumper Color, Lt Side Front - Red Color, Lt Side Middle - Red Color, Lt Side Rear - Red Location, Lights Mid Side - Rearward of Crew Cab Doors Location, Lights Rear Side - Over Rear Wheels	1
351	0587929		Lights, Side, WIn RS*02ZCR, Horizontally Mounted in Rub Rail, 2nd Location, Lights - One mounted in the rub rail rearward of the rear axle on both sides of the apparatus. Qty, - 02 Color, Lights, Warning - gla) red Control, Light - b) side warning	2
352	0587935		Lights, Side, WIn RS*02ZCR, Horizontally Mntd/Rec in Rub Rail, 1st Location, Lights - One mounted in the rub rail forward of the rear axle on both sides of the apparatus. Qty, - 02 Color, Lights, Warning - d) blue Control, Light - b) side warning	2
353	0564655		Lights, Rear Zone Lower, WIn M6*C LED, Clear Lens, For Tail Lt Housing Color, Lt DS Rear - r) DS Rear Lt Red Color, Lt PS Rear - r) PS Rear Lt Red	1
354	0633730		Lights, Rear/Side Up Zone, WIn M6*C LED, Split Color Clear Lens 4lts Color, Lt Side Rear Split - Red and Blue Color, Lt DS Rear Splt - a) Red and Blue Color, Lt PS Rear Splt - a) Red and Blue	1
355	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
356	0537807		Mtg, Rear Warn Lts, Side Sheets & Rear of Body Bulkheads	1
357	0780309		Receptacle, 15/20A 120V 3-Pr 3-Wr SB Dup, 4 place, Interior Cab Qty, - 03 Location 1 - One 4-place receptacle to be located above each shelf DS & PS (option# 0606282) mounted facing forward on back wall. One 4-place receptacle located inside EMS cabinet (option# 0199879) above top shelf on DS. AC Power Source - Shoreline Cover, Receptacle - Interior SS Wall Plate(s)	3
358	0779700		Receptacle, 15/20A 120V 3-Pr 3-Wr SB Dup, GFI, Interior Body Qty, - 01 Location 1 - Mounted horizontally in D1 as high as possible. Must be at least 25" above the floor to allow for electric fan storage; 26" is preferred. AC Power Source - Shoreline Cover, Receptacle - Interior SS Wall Plate(s)	1
359	0519934		Not Required, Brand, Hydraulic Tool System	1
360	0649753		Not Required, PTO Driven Hydraulic Tool System	1
361	0649750		Not Required, Hydraulic Reels	1
362	0007150		Bag of Nuts and Bolts Qty, Bag Nuts and Bolts - 1	1
363	0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department	1
364	0519913		Not Required, Soft Suction Hose	1
365	0027023		No Strainer Required	1
366	0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department	1
367	0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire Dept	1
368	0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
369	0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
370	0559682		Paint, Two Tone, Cab, w/Shield, Custom Cab Paint Color, Predefined - CCFD Yellow #419 Paint Color, Upper Area, Predefined - #10 White	1
371	0646897		Paint Chassis Frame Assy, E-Coat, Standard Paint Color, Frame Assembly, Predefined - Standard Black	1
372	0693797		No Paint Required, Aluminum Front Wheels	1
373	0687653		Paint, Rear Wheels, Single Axle, Alum-Stl Paint, Wheels - Black #101	1

Line	Option	Type	Option Description	Qty
374	0007230		Compartment, Painted, Spatter Gray	1
375	0544099		Reflective Band, 8" Color, Reflect Band - A - d) blue	1
376	0075552		Reflective across Cab Face, QX	1
377	0602763		Stripe, Chevron, Rear, Reflective, Non-NFPA 2016 Colors, Pumper Color, Reflect Band - A - g) yellow Color, Reflect Band - B - o) blue	1
378	0027341		Jog, In Reflective Stripe, Single or Multiple Qty, - 1	1
379	0065738		Stripe, Reflective, Cab Doors Interior, Qtm Color, Reflective - d) blue	1
380	0027286		Not Required, Lettering Specs	1
381	0007472		[Lettering not Requested]	1
382	0017268		Decals, Customer furnished, Pierce installed, Per Pair Qty, - 02	2
383	0002838		Undercoating, Cab & Body, Ziebart	1
384	0073192		Undercoating, Fuel Tank, Complete Before Installation, Ziebart	1
385	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom Qty, - 01	1
386	0772037		Manual, Chassis Service, USB Flash Drive, Custom Qty, - 01	1
387	0773381		Manual, Chassis Operation, One (1) USB Flash Drive, Custom	1
388	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
389	0595239		(No Pick Required)	1
390	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
391	0684952		Warranty, Steering Gear, TRW Ross TAS, 1 Year WA0202	1
392	0596017		Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
393	0777373		Warranty, Axle, 2 Year, Meritor, General Service, WA0328	1
394	0777368		Warranty, Axle, 2 Year, Meritor, General Service, WA0328	1
395	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
396	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
397	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
398	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
399	0695416		Warranty, Pierce Camera System, WA0188	1
400	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
401	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
402	0685945		Warranty, Transmission Cooler, WA0216	1
403	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
404	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
405	0693126		Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185	1
406	0063510		Warranty, Pump, Waterous, 5 Year Parts, WA0225	1
407	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
408	0657990		Warranty, Foam System, Husky 3, WA0231	1
409	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
410	0593921		Not Required, Warranty, No Lettering	1
411	0683627		Certification, Vehicle Stability, CD0156	1
412	0764541		Certification, Engine Installation, Quantum, Cummins X12, 2018	1
413	0686786		Certification, Power Steering, CD0098	1
414	0543949		Certification, Cab Integrity, Quantum, CD0010	1
415	0556828		Certification, Electric Window, Not Available	1
416	0600925		Certification, Seat Belt Anchors and Mounting, Quantum, CD0138	1
417	0609767		Certification, Cab Air Conditioning Performance, Quantum, CD0045	1
418	0545073		Amp Draw Report, NFPA Current Edition	1
419	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
420	0799248		Appleton/Florida BTO	1
421	0000018		PUMPER, 2ND GEN	1
422	0000012		PIERCE CHASSIS	1
423	0004713		ENGINE, OTHER	1
424	0046396		EVS 4000 Series TRANSMISSION	1
425	0020011		WATEROUS PUMP	1
426	0020009		POLY TANK	1

Line	Option	Type	Option Description	Qty
427	0028048		FOAM SYSTEM	1
428	0020006		SIDE CONTROL	1
429	0020007		AKRON VALVES	1
430	0020015		ABS SYSTEM	1
431	0658751		Manufacturing Attribute	1

A CONTRACT BETWEEN
HOUSTON-GALVESTON AREA COUNCIL
Houston, Texas
AND
PIERCE MANUFACTURING INC.
Appleton, Wisconsin

This Contract is made and entered into by the **Houston-Galveston Area Council of Governments**, hereinafter referred to as **H-GAC**, having its principal place of business at 3555 Timmons Lane, Suite 120, Houston, Texas 77027, AND, **Pierce Manufacturing Inc.**, hereinafter referred to as the **CONTRACTOR**, having its principal place of business at 2600 American Drive, Appleton, Wisconsin 54914.

ARTICLE 1: SCOPE OF SERVICES

The parties have entered into a **Fire Service Apparatus (All Types)** Contract to become effective as of December 1, 2017, and to continue through November 30, 2019 (the "**Contract**"), subject to extension upon mutual agreement of the **CONTRACTOR** and **H-GAC**. **H-GAC** enters into the Contract as Agent for participating governmental agencies, each hereinafter referred to as **END USER**, for the purchase of **Fire Service Apparatus (All Types)** offered by the **CONTRACTOR** in states other than Texas. The **CONTRACTOR** agrees to sell **Fire Service Apparatus (All Types)** through the **H-GAC** Contract to **END USERS** in states other than Texas.

ARTICLE 2: THE COMPLETE AGREEMENT

The Contract shall consist of the documents identified below in order of precedence:

1. The text of this Contract form, including but not limited to, Attachment A
2. General Terms and Conditions
3. Bid Specifications No: **FS12-17**, including any relevant suffixes
4. **CONTRACTOR's** Response to Bid No: **FS12-17**, including but not limited to, prices and options offered

All of which are either attached hereto or incorporated by reference and hereby made a part of this Contract, and shall constitute the complete agreement between the parties hereto. This Contract supersedes any and all oral or written agreements between the parties relating to matters herein. Except as otherwise provided herein, this Contract cannot be modified without the written consent of both parties.

ARTICLE 3: LEGAL AUTHORITY

CONTRACTOR and **H-GAC** warrant and represent to each other that they have adequate legal counsel and authority to enter into this Contract. The governing bodies, where applicable, have authorized the signatory officials to enter into this Contract and bind the parties to the terms of this Contract and any subsequent amendments thereto.

ARTICLE 4: APPLICABLE LAWS

The parties agree to conduct all activities under this Contract in accordance with all applicable rules, regulations, directives, issuances, ordinances, and laws in effect or promulgated during the term of this Contract.

ARTICLE 5: INDEPENDENT CONTRACTOR

The execution of this Contract and the rendering of services prescribed by this Contract do not change the independent status of **H-GAC** or **CONTRACTOR**. No provision of this Contract or act of **H-GAC** in performance of this Contract shall be construed as making **CONTRACTOR** the agent, servant or employee of **H-GAC**, the State of Texas or the United States Government. Employees of **CONTRACTOR** are subject to the exclusive control and supervision of **CONTRACTOR**. **CONTRACTOR** is solely responsible for employee payrolls and claims arising therefrom.

ARTICLE 6: END USER AGREEMENTS

H-GAC acknowledges that the **END USER** may choose to enter into an End User Agreement with the **CONTRACTOR** through this Contract and that the term of said Agreement may exceed the term of the **H-GAC** Contract. However this acknowledgement is not to be construed as **H-GAC's** endorsement or approval of the End User Agreement terms and conditions. **CONTRACTOR** agrees not to offer to, agree to or accept from **END USER** any terms or conditions that conflict with or contravene those in **CONTRACTOR's H-GAC** contract. Further, termination of this Contract for any reason shall not result in the termination of the underlying End User Agreements entered into between **CONTRACTOR** and any **END USER** which shall, in each instance, continue pursuant to their stated terms and duration. The only effect of termination of this Contract is that **CONTRACTOR** will no longer be able to enter into any new End User Agreements with **END USERS** pursuant to this Contract. Applicable **H-GAC** order processing charges will be due and payable to **H-GAC** on any End User Agreements surviving termination of this Contract between **H-GAC** and **CONTRACTOR**.

ARTICLE 7:**SUBCONTRACTS & ASSIGNMENTS**

CONTRACTOR agrees not to subcontract, assign, transfer, convey, sublet or otherwise dispose of this Contract or any right, title, obligation or interest it may have therein to any third party without prior written notice to **H-GAC**. **H-GAC** reserves the right to accept or reject any such change. **CONTRACTOR** shall continue to remain responsible for all performance under this Contract regardless of any subcontract or assignment. **H-GAC** shall be liable solely to **CONTRACTOR** and not to any of its Subcontractors or Assignees.

ARTICLE 8:**EXAMINATION AND RETENTION OF CONTRACTOR'S RECORDS**

CONTRACTOR shall maintain during the course of its work, complete and accurate records of items that are chargeable to **END USER** under this Contract. **H-GAC**, through its staff or its designated public accounting firm, the State of Texas, or the United States Government shall have the right at any reasonable time to inspect copy and audit those records on or off the premises of **CONTRACTOR**. Failure to provide access to records may be cause for termination of this Contract. **CONTRACTOR** shall maintain all records pertinent to this Contract for a period of not less than five (5) calendar years from the date of acceptance of the final contract closeout and until any outstanding litigation, audit or claim has been resolved. The right of access to records is not limited to the required retention period, but shall last as long as the records are retained. **CONTRACTOR** further agrees to include in all subcontracts under this Contract, a provision to the effect that the subcontractor agrees that **H-GAC'S** duly authorized representatives, shall, until the expiration of five (5) calendar years after final payment under the subcontract or until all audit findings have been resolved, have access to, and the right to examine and copy any directly pertinent books, documents, papers, invoices and records of such subcontractor involving any transaction relating to the subcontract.

ARTICLE 9:**REPORTING REQUIREMENTS**

CONTRACTOR agrees to submit reports or other documentation in accordance with the General Terms and Conditions of the Bid Specifications. If **CONTRACTOR** fails to submit to **H-GAC** in a timely and satisfactory manner any such report or documentation, or otherwise fails to satisfactorily render performance hereunder, such failure may be considered cause for termination of this Contract.

ARTICLE 10:**MOST FAVORED CUSTOMER CLAUSE**

If **CONTRACTOR**, at any time during this Contract, routinely enters into agreements with other governmental customers within the State of Texas, and offers the same or substantially the same products/services offered to **H-GAC** on a basis that provides prices, warranties, benefits, and or terms more favorable than those provided to **H-GAC**, **CONTRACTOR** shall notify **H-GAC** within ten (10) business days thereafter of that offering and this Contract shall be deemed to be automatically amended effective retroactively to the effective date of the most favorable contract, wherein **CONTRACTOR** shall provide the same prices, warranties, benefits, or terms to **H-GAC** and its **END USER**. **H-GAC** shall have the right and option at any time to decline to accept any such change, in which case the amendment shall be deemed null and void. If **CONTRACTOR** is of the opinion that any apparently more favorable price, warranty, benefit, or term charged and/or offered a customer during the term of this Contract is not in fact most favored treatment, **CONTRACTOR** shall within ten (10) business days notify **H-GAC** in writing, setting forth the detailed reasons **CONTRACTOR** believes aforesaid offer which has been deemed to be a most favored treatment, is not in fact most favored treatment. **H-GAC**, after due consideration of such written explanation, may decline to accept such explanation and thereupon this Contract between **H-GAC** and **CONTRACTOR** shall be automatically amended, effective retroactively, to the effective date of the most favored agreement, to provide the same prices, warranties, benefits, or terms to **H-GAC**.

The Parties accept the following definition of routine: A prescribed, detailed course of action to be followed regularly; a standard procedure. *EXCEPTION: This clause shall not be applicable to prices and price adjustments offered by a bidder, or contractor, which are not within bidder's control [example; a manufacturer's bid concession], or to any prices offered to the Federal Government and its agencies.*

ARTICLE 11:**SEVERABILITY**

All parties agree that should any provision of this Contract be determined to be invalid or unenforceable, such determination shall not affect any other term of this Contract, which shall continue in full force and effect.

ARTICLE 12:**DISPUTES**

Any and all disputes concerning questions of fact or of law arising under this Contract, which are not disposed of by agreement, shall be decided by the Executive Director of **H-GAC** or his designee, who shall reduce his decision to writing and provide notice thereof to **CONTRACTOR**. The decision of the Executive Director or his designee shall be final and conclusive unless, within thirty (30) days from the date of receipt of such notice, **CONTRACTOR** requests a rehearing from the Executive Director of **H-GAC**. In connection with any rehearing under this Article, **CONTRACTOR** shall be afforded an opportunity to be heard and offer evidence in support of its position. The decision of the Executive Director after any such rehearing shall be final and conclusive. **CONTRACTOR** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a court of competent jurisdiction. Pending final decision of a dispute hereunder, **CONTRACTOR** shall proceed diligently with the performance of this Contract and in accordance with **H-GAC'S** final decision.

ARTICLE 13: LIMITATION OF CONTRACTOR'S LIABILITY

Except as specified in any separate writing between the CONTRACTOR and an END USER, CONTRACTOR's total liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, but excluding its obligation to indemnify H-GAC described in Article 14, is limited to the price of the particular products/services sold hereunder, and CONTRACTOR agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. In no event will CONTRACTOR be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. CONTRACTOR understands and agrees that it shall be liable to repay and shall repay upon demand to END USER any amounts determined by H-GAC, its independent auditors, or any agency of State or Federal government to have been paid in violation of the terms of this Contract.

ARTICLE 14: LIMIT OF H-GAC'S LIABILITY AND INDEMNIFICATION OF H-GAC

H-GAC's liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to its order processing charge. In no event will H-GAC be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor agrees, to the extent permitted by law, to defend and hold harmless H-GAC, its board members, officers, agents, officials, employees, and indemnities from any and all claims, costs, expenses (including reasonable attorney fees), actions, causes of action, judgments, and liens arising as a result of CONTRACTOR's negligent act or omission under this Contract. CONTRACTOR shall notify H-GAC of the threat of lawsuit or of any actual suit filed against CONTRACTOR relating to this Contract.

ARTICLE 15: TERMINATION FOR CAUSE

H-GAC may terminate this Contract for cause based upon the failure of CONTRACTOR to comply with the terms and/or conditions of the Contract; provided that H-GAC shall give CONTRACTOR written notice specifying CONTRACTOR'S failure. If within thirty (30) days after receipt of such notice, CONTRACTOR shall not have either corrected such failure, or thereafter proceeded diligently to complete such correction, then H-GAC may, at its option, place CONTRACTOR in default and the Contract shall terminate on the date specified in such notice. CONTRACTOR shall pay to H-GAC any order processing charges due from CONTRACTOR on that portion of the Contract actually performed by CONTRACTOR and for which compensation was received by CONTRACTOR.

ARTICLE 16: TERMINATION FOR CONVENIENCE

Either H-GAC or CONTRACTOR may cancel or terminate this Contract at any time by giving thirty (30) days written notice to the other. CONTRACTOR may be entitled to payment from END USER for services actually performed; to the extent said services are satisfactory to END USER. CONTRACTOR shall pay to H-GAC any order processing charges due from CONTRACTOR on that portion of the Contract actually performed by CONTRACTOR and for which compensation is received by CONTRACTOR.

ARTICLE 17: CIVIL AND CRIMINAL PROVISIONS AND SANCTIONS

CONTRACTOR agrees that it will perform under this Contract in conformance with safeguards against fraud and abuse as set forth by H-GAC, the State of Texas, and the acts and regulations of any funding entity. CONTRACTOR agrees to notify H-GAC of any suspected fraud, abuse or other criminal activity related to this Contract through filing of a written report promptly after it becomes aware of such activity.

ARTICLE 18: GOVERNING LAW & VENUE

This Contract shall be governed by the laws of the State of Texas. Venue and jurisdiction of any suit or cause of action arising under or in connection with this Contract shall lie exclusively in Harris County, Texas. Disputes between END USER and CONTRACTOR are to be resolved in accord with the law and venue rules of the state of purchase. CONTRACTOR shall immediately notify H-GAC of such disputes.

ARTICLE 19: PAYMENT OF H-GAC ORDER PROCESSING CHARGE

CONTRACTOR agrees to sell its products to END USERS based on the pricing and other terms of this Contract, including, but not limited to, the payment of the applicable H-GAC order processing charge. On notification from an END USER that an order has been placed with CONTRACTOR, H-GAC will invoice CONTRACTOR for the applicable order processing charge. Upon delivery of any product/service by CONTRACTOR and acceptance by END USER, CONTRACTOR shall, within thirty (30) calendar days or ten (10) business days after receipt of payment, whichever is less, pay H-GAC the full amount of the applicable order processing charge, whether or not CONTRACTOR has received an invoice from H-GAC. For sales made by CONTRACTOR based on this contract, including sales to entities without Interlocal Contracts, CONTRACTOR shall pay the applicable order processing charges to H-GAC. Further, CONTRACTOR agrees to encourage entities who are not members of H-GAC's Cooperative Purchasing Program to execute an H-GAC Interlocal Contract. H-GAC reserves the right to take appropriate actions including, but not limited to, contract termination if CONTRACTOR fails to promptly remit H-GAC's order processing charge. In no event shall H-GAC have any liability to CONTRACTOR for any goods or services an END USER procures from CONTRACTOR.

ARTICLE 20:

LIQUIDATED DAMAGES

Any liquidated damages terms will be determined between CONTRACTOR and END USER at the time END USER's purchase order is placed.

ARTICLE 21:

PERFORMANCE AND PAYMENT BOND FOR INDIVIDUAL ORDERS

H-GAC's contractual requirements DO NOT include a Performance & Payment Bond (PPB), and offered pricing should reflect this cost saving. However, CONTRACTOR must be prepared to offer a PPB to cover any specific order if so requested by END USER. CONTRACTOR shall quote a price to END USER for provision of any requested PPB, and agrees to furnish the PPB within ten business (10) days of receipt of END USER's purchase order.

ARTICLE 22:

CHANGE OF CONTRACTOR STATUS

CONTRACTOR shall immediately notify H-GAC, in writing, of ANY change in ownership, control, dealership/franchisee status, Motor Vehicle license status, or name, and shall also advise whether or not this Contract shall be affected in any way by such change. H-GAC shall have the right to determine whether or not such change is acceptable, and to determine what action shall be warranted, up to and including cancellation of Contract.

ARTICLE 23:

LICENSING REQUIRED BY TEXAS MOTOR VEHICLE BOARD [IF APPLICABLE]

CONTRACTOR will for the duration of this Contract maintain current licenses that are required by the Texas Motor Vehicle Commission Code. If at any time during this Contract period, any CONTRACTOR'S license is not renewed, or is denied or revoked, CONTRACTOR shall be deemed to be in default of this Contract unless the Motor Vehicle Board issues a stay or waiver. Contractor shall promptly provide copies of all current applicable Texas Motor Vehicle Board documentation to H-GAC upon request.

IN WITNESS WHEREOF, the parties have caused this Contract to be executed by their duly authorized representatives.

Signed for **Houston-Galveston**
Area Council, Houston, Texas:



Jack Steele, Executive Director

Attest for **Houston-Galveston**
Area Council, Houston, Texas:



Chuck Wemple, Chief Operations Officer

Date: 10/26, 20 17


Signed for **Pierce Manufacturing Inc.**
Appleton, Wisconsin:



Printed Name & Title: Michael E. Pack, Vice President, Finance

Date: Oct 20, 20 17

Attest for **Pierce Manufacturing Inc.**
Appleton, Wisconsin:



Printed Name & Title: Sr. Sales Operations Manager Kristina Spang

Date: October 20, 20 17

Attachment A
Pierce Manufacturing Inc.
Fire Service Apparatus (All Types)
Contract No. FS12-17

T. Pierce		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
TA01	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 75' Rear-Mounted Telescoping Ladder (500#)	\$ 746,013.00
TA02	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 75' Rear-Mounted Telescoping Ladder (500#)	\$ 758,735.00
TA03	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 107' Rear-Mounted Telescoping Ladder	\$ 817,640.00
TA04	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Rear Axle, 107' Rear-Mounted Telescoping Ladder	\$ 860,089.00
TA05	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Rear Axle, 110' Rear-Mounted Telescoping Platform	\$ 901,609.00
TA06	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 105' Rear-Mounted Telescoping Ladder (500#)	\$ 849,820.00
TA07	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 100' Mid-Mounted Telescoping Ladder (#500)	\$ 1,036,731.00
TA08	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 85' Rear-Mounted Telescoping Ladder with Platform (750#)	\$ 994,689.00
TA09	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 95' Mid-Mounted Telescoping Ladder with Platform (750#)	\$ 1,137,020.00
TA10	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 100' Rear-Mounted Telescoping Ladder with Platform (750#)	\$ 1,081,045.00
TA11	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 100' Tractor Drawn - Mid-Mounted Telescoping Ladder (#500)	\$ 984,921.00
TA12	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 107' Tractor Drawn - Mid-Mounted Telescoping Ladder (#500)	\$ 1,065,126.00
B. Wildland Fire Apparatus		
TB01	Pierce Brush Fire Apparatus, Ford F450, Formed Aluminum Utility Body	\$ 126,354.00
TB02	Pierce Brush Fire Apparatus, Ford F-550 Mini Pumper 500 gpm, 300 tank	\$ 206,696.00
TB03	Freightliner 4-Door 4 x 4 Wildland, 500 water, 1000 gpm Pump	\$ 273,343.00
C. Pumper Fire Apparatus		
TC01	M2 Freightliner, 2-Door, OEM Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 219,712.00
TC02	IHC, 2-Door, OEM Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 224,952.00
TC03	KW, 2-Door, OME Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 233,808.00
TC04	Peterbilt, 2-Door, OME Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 243,701.00
TC05	Pierce Saber FR, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 387,161.00
TC06	Pierce Enforcer, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 416,850.00
TC07	Pierce Dash CF, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1250 GPM Pump, PUC Body Pumper	\$ 528,525.00
D. Special Service Apparatus (Walk-In & Non-Walk In Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile		
TD01	Ford F-550 4- Door, 12' Non-Walk-in Formed Aluminum Body	\$ 142,594.00
TD02	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	\$ 181,536.00
TD03	IHC, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	\$ 187,419.00
TD04	Kenworth, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	\$ 188,754.00

TD05	Peterbilt, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	\$ 198,398.00
TD06	Pierce Saber FR, Full-Tilt, Aluminum Cab, Single Axle, Formed Aluminum Body, Non-Walk-In HDR Body	\$ 390,488.00
TD07	Pierce Enforcer 4-Door, Aluminum Cab, Single Axle, Formed Aluminum Body, Non Walk-in HDR Body	\$ 412,432.00
TD08	Pierce Velocity 4-Door Aluminum Cab, Tandem Axle Non-Walk-in HDR Body	\$ 499,447.00
TD09	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	\$ 273,993.00
TD10	IHC, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	\$ 276,669.00
TD11	Kenworth, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	\$ 279,627.00
TD12	Peterbilt, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	\$ 286,436.00
TD13	Pierce Enforcer 4-Door, Full Tilt, Aluminum Cab, Single Axle, Formed Aluminum Body, Walk-in HDR Body	\$ 445,668.00
TD14	Pierce Velocity 4-Door Aluminum Cab, Tandem Axle Walk-in HDR Body	\$ 542,213.00
E. Pumper/Tankers & Tankers		
TE01	Freightliner 2 Door, Single Axle Tanker, Aluminum Body w/2000 water & 500 pump	\$ 262,886.00
TE02	IHC 2dr Single Axle Tanker, Aluminum Body w/2000 water & 500 pump	\$ 243,565.00
TE03	Kenworth 2dr Single Axle Tanker, Aluminum Body w/2000 water & 500 pump	\$ 242,662.00
TE04	Peterbilt 2dr Single Axle Tanker, Aluminum w/2000 water & 500 pump	\$ 271,756.00
TE05	Pierce Saber FR, 4-Door, Full-Tilt, Aluminum Cab, Pumper/Tanker, Aluminum Body, Single Axle, 1000 GPM Pump, Mid-Mounted	\$ 424,612.00
TE06	Pierce Enforcer, 4-Door, Full-Tilt, Aluminum Cab, Pumper/Tanker, Aluminum Body, Tandem Axle, 1000 GPM Pump, Mid-Mounted	\$ 436,967.00
TE07	Freightliner 2dr, Tandem Axle Tanker, Aluminum Body w/3000 water & 500 pump	\$ 280,409.00
TE08	IHC 2dr Tandem Axle Tanker, Aluminum Body w/3000 water & 500 pump	\$ 293,270.00
TE09	Kenworth 2dr Tandem Axle Tanker, Aluminum Body w/3000 water & 500 pump	\$ 286,728.00
TE10	Peterbilt 2dr Tandem Axle Tanker, Aluminum w/3000 water & 500 pump	\$ 286,728.00
TE11	Pierce Saber FR, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1000 GPM Pump, Mid-Mounted Elliptical Tanker	\$ 457,727.00
TE12	Pierce Enforcer, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Tandem Axle, 1000 GPM Pump, Mid-Mounted Elliptical Tanker	\$ 490,508.00